





See inside of back cover  
for catalog card.

# HEALTH STATISTICS

FROM THE U. S. NATIONAL HEALTH SURVEY

## Dental Care volume of visits

United States  
July 1957 - June 1959

Statistics on volume of dental visits by type of dental service, age, sex, residence, region, race, income, and education. Based on data collected in household interviews during the period July 1957-June 1959.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
Arthur S. Flemming, Secretary

Public Health Service  
Leroy E. Burney, Surgeon General

Division of Public Health Methods  
William H. Stewart, M. D., Chief

## U. S. NATIONAL HEALTH SURVEY

Forrest E. Linder, Ph. D., Director  
Theodore D. Woolsey, Assistant Director  
Alice M. Waterhouse, M. D., Chief Medical Advisor  
Walt R. Simmons, Statistical Advisor  
O. K. Sagen, Ph. D., Chief, Special Studies  
Philip S. Lawrence, Sc. D., Chief, Health Interview Survey  
Margery R. Cunningham, Staff Assistant  
Robert T. Little, Chief, Automatic Data Processing

The U. S. National Health Survey is a continuing program under which the Public Health Service makes studies to determine the extent of illness and disability in the population of the United States and to gather related information. It is authorized by Public Law 652, 84th Congress.

## CO-OPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies. For the Health Interview Survey the Bureau of the Census designed and selected the sample, conducted the household interviews, and processed the data in accordance with specifications established by the Public Health Service.

# CONTENTS

	Page
Selected Findings-----	1
Source of Data-----	1
Volume of Dental Visits-----	2
Dental Visits by Type of Service-----	6
Detailed Tables-----	10
Appendix I. Technical Notes on Methods-----	39
Background of This Report-----	39
Statistical Design of the Health Interview	
Survey -----	39
General Qualifications-----	40
Reliability of Estimates-----	40
Appendix II. Definitions of Certain Terms	
Used in This Report-----	43
Dental Care Terms-----	43
Demographic, Social, and Economic	
Terms -----	43
Location of Residence Terms-----	43
Appendix III. Questionnaire-----	45

# EXPLANATION OF SYMBOLS

Data not available (three dashes)-----	---
Category not applicable (three dots)-----	...
Quantity is zero (1 dash)-----	-
Magnitude greater than zero but less than one-half of the unit used-----	0 or 0,0
Magnitude of the sampling error precludes showing separate estimates-----	(*)

# DENTAL CARE

## VOLUME OF VISITS

### SELECTED FINDINGS

During the two-year period July 1957-June 1959, people of the United States made approximately 517 million dental visits, representing an estimate of 258 million visits per year. This amounted to an average of 1.5 dental visits per person per year.

The rates of dental visits varied greatly among the different subgroups of the population. Members of families having an annual income of less than \$2,000 made an average of 0.7 dental visits per year as compared with a rate of 2.5 visits for those in families with an income of \$7,000 or more. Similar differences were found among the different educational groups. Where the head of the family had completed at least one year of college, family members averaged 2.4 dental visits per person per year, a rate four times that found for persons in families where the family head had less than 5 years of formal schooling.

In addition, the U. S. National Health Survey data revealed striking differences in rates of dental visits among the different residence and regional groups of the Nation.

People living "inside urbanized areas," which roughly means those living in and around cities of 50,000 or more population, made on the average 1.9 dental visits per year, while those living on

farms in rural areas made only 0.8 visits per person per year. Residents of the Northeastern region of the United States, which includes New England and the Middle Atlantic states, visited the dentist 2.1 times per year on the average, while those residing in the South averaged only 1.0 visits.

### SOURCE OF DATA

The information contained in this report was obtained from nationwide household interviews conducted by the U. S. National Health Survey. The survey is continuous, each week covering a random sample of the civilian noninstitutional population of the United States. This report is based on interviews obtained during the period July 1957-June 1959, during which time interviews were conducted in approximately 73,000 households throughout the country and included about 235,000 persons.

A description of the survey design, methods used in estimation, and the general qualifications of the data is presented in Appendix I. Particular attention should be given to the section entitled Reliability of Estimates. Since the figures presented in this report are estimates based on a sample of the population, they are subject to sampling error. Although the sampling errors for most of the estimates are of relatively low magnitude, where an estimated number or the numerator or denominator of a rate or percent is small, the sampling error may be high.

This report was prepared by Jane W. Bergsten, of the U.S. National Health Survey staff.

Definitions of terms used in the report are given in Appendix II. Some of the terms have specialized meaning and a familiarity with the definitions will assist the reader in interpreting the data presented.

The portions of the questionnaire dealing with dental care are reproduced in Appendix III. Certain questions appeared on the questionnaire during the entire two-year period, while others appeared during only one of the two years. Because of this, the data included in this report on the volume of dental visits are based on two years of interviewing, July 1957-June 1959, while the remaining data on dental visits by type of service are based on one year of interviewing, July 1957-June 1958.

## VOLUME OF DENTAL VISITS

A total of 516.9 million dental visits were made during the two-year period July 1957-June 1959. This represented an estimate of 258.5 million visits per year, which amounted to an average of 1.5 dental visits per person per year.

Although this rate appears to be fairly consistent with the well-known suggestion to "see your dentist twice a year," it should be kept in mind that the rate is an average based on persons who had visited their dentist during the year as well as those who had not. Since about two thirds of the population fall into this latter group the total number of dental visits during a given year were made by a comparatively small proportion of the population.

Any visit to a dentist's office for treatment or advice was considered to be a dental visit in the survey, even if the service was not provided directly by a dentist himself but by a hygienist working under a dentist's supervision.

Estimates of the total volume of dental visits were obtained from answers to the questions "Last week or the week before did anyone in the family go to a dentist?" and if the answer was

"yes," "How many times during the past 2 weeks?"

The accumulation of counts of dental visits over two years of continuous interviewing provided the basis for the estimates included here. The aggregates shown in the detailed tables, however, are annual estimates obtained by averaging the counts of dental visits reported in each of the years.

Rates of dental visits varied greatly among the different demographic groups in the population. Figure 1 shows that in the age range 5-64 years, the average number of dental visits for females was consistently higher than for males. For both groups the peak period for dental visits was around 20 years of age. It is also at this point that the greatest discrepancy between the rates for males and females occurs. The higher rate for females may well reflect additional dental care during pregnancy or possibly a greater emphasis placed on the esthetic results derived from good dental care.




Figure 1. Number of dental visits per person per year by sex and age.



The dental care rates for both males and females were low among children under 5 years of age, when the permanent teeth have not yet erupted, and among persons 65 years of age and older, a large proportion of whom are edentulous (tables 1 and 2). Other dental care data from the survey show that during a one-year period the vast majority of persons in each of these age groups made no dental visits.

Marked differences in the frequency of dental visits occurred among persons living in urban and rural areas (fig. 2). Persons living "inside urbanized areas" (in and around cities having a population of 50,000 or more) had the highest number of dental visits per person, 1.9 per year. Persons living in smaller urban places and "rural-nonfarm" persons visited the dentist less frequently, with 1.4 and 1.3 visits per person per year, respectively. Rural-farm persons had the lowest rate of visits, 0.8 visits per person per year.




Figure 2. Number of dental visits per person per year by residence.

(For complete definitions of the residence areas, see Appendix II.) These differences by area of residence, noted in the total population, were consistently present in the various age-sex groups (tables 1 and 2).

By comparing the over-all rates of dental visits for the four regions of the country, it can be seen that persons in the Northeast region averaged more dental visits than persons in any of the other regions. The West had the second highest rate of dental visits, and the North Central region had the third highest. Persons living in the South made, on the average, the least number of dental visits. Their rate was about half of that for the Northeastern region (fig. 3). The regional differences, showing the Northeast having the highest rate of dental visits, the South, the lowest rate, and the West and North Central regions in a middle position, show up quite consistently in the different age-sex segments of the population (tables 3 and 4).

Rates for the four regions have been computed separately for the white and nonwhite subgroups of the population and are presented in figure 4 and table 5. Approximately the same regional pattern appears for both white and nonwhite persons separately, as for all races combined. In each of the four regions, the rates for the nonwhite population were substantially below those for white persons.

In figure 5 and table 6, the rates for the two racial groups are given separately by age. The rate for nonwhite persons was consistently lower than the rate for white persons in each of the age groups. In the 5-14 year age group, for example, white children visited the dentist at an average of 2.0 visits per year, while nonwhite children averaged only 0.4 visits, a rate only one fifth as large. Similar differences occurred in the other age groups.

Family income is one of the socioeconomic variables which has a striking effect on the volume of dental visits reported. For all age groups




Figure 3. Number of dental visits per person per year by region.




Figure 4. Number of dental visits per person per year by region and race.




Figure 5. Number of dental visits per person per year by race and age.

combined, the dental visit rate increased successively from 0.7 visits per person per year for persons in families with annual incomes under \$2,000 to a high of 2.5 visits for those in families with annual incomes of \$7,000 or more (fig. 6 and table 7). Because both family income and rate of dental visits vary with age, it is necessary to examine the relationship between family income and rate of dental visits for separate age groups. From table 7, it can be seen that the direct relationship between family income and rate of dental visits occurred within each of the individual age groups shown.




Figure 6. Number of dental visits per person per year by family income.

Another socioeconomic variable—the educational attainment of the family head—also bears a direct relationship to the rate of dental visits. Persons in families whose head of family had less than 5 years of formal schooling averaged only

one fourth as many dental visits as persons in families whose head of family had completed at least one year of college (fig. 7). The dental visit rates were higher in each successive educational group from "under 5 years of education" to "college."




Figure 7. Number of dental visits per person per year by education of family head.

The direct relationship between rate of dental visits and education of family head existed in each of the age groups as well as for all age groups combined. The difference in rates is most noticeable for children in the 5-14 year age group, where those in families whose head of family had attended college made on the average about six times as many dental visits per person as those in families whose family head had less than 5 years of education (table 8).

Not only are family income and education of family head strongly associated with rate of den-

tal visits but the two variables are also closely related to each other. By cross-classifying the two variables each can be examined in relation to dental visits while the other is held constant, in figure 8 it may be seen that among lower income families, the rate of dental visits was approximately twice as high for those whose family head had 9 or more years of school as for those whose family head had less education. Among higher income families, the ratio between the dental visit rates of the "high" educational and "low" educational groups was 1½ to 1. The results are similar when comparing the rates for the two income groups for persons in "low" educational and "high" educational families separately. With in each of the educational groups, those in higher income families averaged twice as many dental visits as those in lower income families. It may be seen in table 9 that similar relationships exist within the separate age groups. It thus appears

that family income and educational attainment of the family head are each in themselves related to the rate of dental visits.

## DENTAL VISITS BY TYPE OF SERVICE

Data pertaining to the type of service received during dental visits were collected during July 1957-June 1958. Thus, while the material on volume of dental visits is based on two years of interviewing, the material on type of dental service is based on only one year of interviewing.

Approximately 43 percent of all dental visits made during the period July 1957-June 1958 involved work related to fillings, crowns, inlays, and so forth. This was the largest single "type of service" category. Work relating to extractions was carried on in about 17 percent of the visits and teeth cleaning or examination in about 18 percent of the visits. "Straightening" and "gum




Figure 8. Number of dental visits per person per year by family income and education of family head.




Figure 9. Percent distribution of dental visits by type of service.

treatment" were done in only a small proportion of the dental visits, 3 percent and 2 percent, respectively. "Denture work" which includes all types of bridgework as well as the taking of impressions and fitting and repairing of false teeth accounted for about 9 percent of the visits (fig. 9).

In collecting and tabulating the data, a visit was tallied under each type of service performed during the visit. Thus, the sum of the visits by type of service is greater than the total number of dental visits made.

The types of service received during a dental visit varied with the age of the patient. About one half of the dental visits of children 5-14 and young people 15-24 years of age involved some type of work related to fillings. The proportion of visits including this type of service became successively smaller in the older age groups. Approximately

one tenth of the visits of children under 15 years of age involved "extractions" as compared with a proportion twice that size for those 15 years of age and over. "Denture work" including bridgework was done during only a small proportion of visits of children and young people, but the proportion of visits involving this type of service increased with age to 34 percent for persons 65 years of age and over. Teeth straightening occurred principally among children (tables A, 10, and 11).

The relationships between type of dental service and the various demographic variables were consistent with those found for volume of dental visits. In general, groups that had a low rate of dental visits also had a comparatively high proportion of their dental visits devoted to extractions (table B). For example, males had a higher proportion of their dental visits devoted to extrac-

Table A. Percent distribution of dental visits and number of dental visits per person per year by type of service according to age: United States, July 1957-June 1958

Age	Total visits <sup>1</sup>	Type of service				
		Fill- ings	Extrac- tions	Cleaning or exam- ination	Den- ture work	Other and unknown
Percent distribution						
All ages-----	100	43	17	18	9	17
0-4-----	100	44	8	31	1	22
5-14-----	100	50	12	18	1	22
15-24-----	100	54	19	12	4	14
25-44-----	100	42	19	19	7	17
45-64-----	100	32	17	18	19	15
65+-----	100	17	22	16	34	13
Number of dental visits per person per year						
All ages-----	1.6	0.7	0.3	0.3	0.1	0.3
0-4-----	0.3	0.1	0.0	0.1	0.0	0.1
5-14-----	1.9	0.9	0.2	0.3	0.0	0.4
15-24-----	2.3	1.2	0.4	0.3	0.1	0.3
25-44-----	1.9	0.8	0.4	0.4	0.1	0.3
45-64-----	1.7	0.5	0.3	0.3	0.3	0.3
65+-----	0.8	0.1	0.2	0.1	0.3	0.1

<sup>1</sup>The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table B. Percent distribution of dental visits and number of dental visits per person per year by type of service according to demographic characteristic: United States, July 1957-June 1958

Characteristic	Percent distribution				Number of dental visits per person per year			
	Total visits <sup>1</sup>	Fillings	Extractions	All other	Total visits <sup>1</sup>	Fillings	Extractions	All other
Total persons-----	100	43	17	44	1.6	0.7	0.3	0.7
<u>Sex</u>								
Male-----	100	43	19	43	1.4	0.6	0.3	0.6
Female-----	100	43	16	44	1.8	0.8	0.3	0.8
<u>Residence</u>								
Urban-----	100	44	15	45	1.9	0.8	0.3	0.8
Rural nonfarm-----	100	43	20	41	1.3	0.6	0.3	0.5
Rural farm-----	100	37	26	40	1.0	0.4	0.3	0.4
<u>Region</u>								
Northeast-----	100	48	13	44	2.2	1.0	0.3	1.0
North Central-----	100	46	16	40	1.6	0.7	0.3	0.6
South-----	100	34	26	44	1.0	0.4	0.3	0.5
West-----	100	38	15	49	1.8	0.7	0.3	0.9
<u>Race</u>								
White-----	100	44	16	44	1.7	0.8	0.3	0.8
Nonwhite-----	100	23	45	33	0.5	0.1	0.2	0.2
<u>Family income</u>								
Under \$2,000-----	100	27	37	37	0.8	0.2	0.3	0.3
\$2,000-3,999-----	100	36	23	45	1.1	0.4	0.2	0.5
\$4,000-6,999-----	100	47	16	40	1.7	0.8	0.3	0.7
\$7,000+-----	100	46	10	49	2.6	1.2	0.3	1.3
<u>Education of family head</u>								
Under 5 years-----	100	38	32	34	0.8	0.3	0.2	0.3
5-8 years-----	100	40	24	40	1.2	0.5	0.3	0.5
9-12 years-----	100	44	17	42	1.7	0.7	0.3	0.7
College-----	100	46	9	50	2.7	1.2	0.2	1.3
<u>Family income and education of family head</u>								
<u>Under \$4,000</u>								
Under 9 years-----	100	29	35	40	0.7	0.2	0.2	0.3
9 years or over-----	100	36	22	44	1.3	0.5	0.3	0.6
<u>\$4,000+</u>								
Under 9 years-----	100	46	19	39	1.7	0.8	0.3	0.6
9 years or over-----	100	46	12	46	2.2	1.0	0.3	1.0

<sup>1</sup>The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

tions than did females; rural-farm persons had a higher proportion of visits involving extractions than did rural-nonfarm persons, who in turn had a higher proportion than urban persons. Although the relationships were not quite as pronounced in the case of proportion of dental visits involving fillings, the tendency was for groups with high rates of dental visits to have a higher proportion of their visits devoted to fillings than was true for groups with low rates of dental visits.

When the types of services rendered are considered from the point of view of number of visits per person per year, a slightly different picture is presented. The number of visits per person per year involving extractions was very stable from group to group, namely either 0.2 or 0.3 visits per person. The rate of visits involving fillings varied greatly from group to group, however, with the groups having a high over-all rate of dental visits also having a high rate of visits for fillings.

---

Thus it would appear from the figures in table B that the average number of dental visits involving extractions was consistent throughout the different subgroups of the population, while the average number of dental visits involving preventive services varied greatly from group to group. It is this variation in number of visits for preventive services that brings about the differences in the percent distributions noted above.

Since a dental visit involving a particular type of dental service was counted only once under that type of service, no matter how many teeth were involved, the data presented here, naturally, do not tell the complete story. They do, however, give some indication of the type of dental care people in the different demographic groups of the population are receiving.

Detailed data on volume of dental visits by type of service and the variables discussed above are presented in tables 10-23.

# DETAILED TABLES

	Page
<u>DENTAL VISITS BY RESIDENCE, REGION, RACE, SEX, AND AGE</u>	
Table 1. Average annual number of dental visits by residence, sex, and age: United States, July 1957-June 1959-----	12
2. Number of dental visits per person per year by residence, sex, and age: United States, July 1957-June 1959-----	13
3. Average annual number of dental visits by region, sex, and age: United States, July 1957-June 1959-----	14
4. Number of dental visits per person per year by region, sex, and age: United States, July 1957-June 1959-----	15
5. Average annual number of dental visits and number of dental visits per person per year by region and race: United States, July 1957-June 1959-----	16
6. Average annual number of dental visits and number of dental visits per person per year by race and age: United States, July 1957-June 1959-----	16
<u>DENTAL VISITS BY FAMILY INCOME, EDUCATION, AND AGE</u>	
7. Average annual number of dental visits and number of dental visits per person per year by family income and age: United States, July 1957-June 1959-----	17
8. Average annual number of dental visits and number of dental visits per person per year by education of family head and age: United States, July 1957-June 1959-----	17
9. Average annual number of dental visits and number of dental visits per person per year by family income, education of family head, and age: United States, July 1957-June 1959-----	18
<u>DENTAL VISITS BY TYPE OF SERVICE, RESIDENCE, REGION, RACE, SEX, AND AGE</u>	
10. Number of dental visits by type of service, sex, and age: United States, July 1957-June 1958-----	19
11. Percent distribution of dental visits by type of service according to sex and age: United States, July 1957-June 1958-----	20
12. Number of dental visits by type of service, residence, and age: United States, July 1957-June 1958-----	21
13. Percent distribution of dental visits by type of service according to residence and age: United States, July 1957-June 1958-----	22
14. Number of dental visits by type of service, region, and age: United States, July 1957-June 1958-----	23
15. Percent distribution of dental visits by type of service according to region and age: United States, July 1957-June 1958-----	24
16. Number of dental visits by type of service, race, and age: United States, July 1957-June 1958-----	25
17. Percent distribution of dental visits by type of service according to race and age: United States, July 1957-June 1958-----	26



DETAILED TABLES--Continued

	Page
<u>DENTAL VISITS BY TYPE OF SERVICE, FAMILY INCOME, EDUCATION, AND AGE</u>	
Table 18. Number of dental visits by type of service, family income, and age: United States, July 1957-June 1958-----	27
19. Percent distribution of dental visits by type of service according to family income and age: United States, July 1957-June 1958-----	28
20. Number of dental visits by type of service, education of family head, and age: United States, July 1957-June 1958-----	29
21. Percent distribution of dental visits by type of service according to education of family head and age: United States, July 1957-June 1958-----	30
22. Number of dental visits by type of service, family income, education of family head, and age: United States, July 1957-June 1958-----	31
23. Percent distribution of dental visits by type of service according to family income, education of family head, and age: United States, July 1957-June 1958-----	32
<u>POPULATION</u>	
24. Population used in obtaining rates shown in this publication by residence, sex, and age: United States, July 1957-June 1959-----	33
25. Population used in obtaining rates shown in this publication by region, sex, and age: United States, July 1957-June 1959-----	34
26. Population used in obtaining rates shown in this publication by region and race: United States, July 1957-June 1959-----	35
27. Population used in obtaining rates shown in this publication by race and age: United States, July 1957-June 1959-----	35
28. Population used in obtaining rates shown in this publication by family income and age: United States, July 1957-June 1959-----	36
29. Population used in obtaining rates shown in this publication by education of family head and age: United States, July 1957-June 1959-----	36
30. Population used in obtaining rates shown in this publication by family income, education of family head, and age: United States, July 1957-June 1959-----	37
31. Population used in obtaining rates shown in this publication by age and demographic characteristic: United States, July 1957-June 1958-----	38

Table 1. Average annual number of dental visits by residence, sex, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1b.]

Sex and age	Residence					
	All areas	Urban			Rural	
		Total	Inside urbanized areas	Other urban places	Nonfarm	Farm
Average number of dental visits in millions						
<u>Both sexes</u>						
All ages-----	258.5	180.5	140.1	40.4	60.8	17.1
0-4-----	5.2	3.2	2.4	0.8	1.7	0.2
5-14-----	61.7	40.1	30.8	9.2	16.9	4.7
15-24-----	47.4	33.1	24.5	8.6	10.6	3.6
25-44-----	80.2	55.5	44.4	11.2	20.6	4.1
45-64-----	52.3	39.7	31.7	8.0	9.2	3.5
65+-----	11.6	8.9	6.4	2.5	1.8	0.9
<u>Male</u>						
All ages-----	108.1	74.8	57.6	17.2	25.7	7.6
0-4-----	2.3	1.4	1.0	0.4	0.8	0.1
5-14-----	28.2	18.1	13.9	4.2	7.8	2.3
15-24-----	17.8	12.6	9.1	3.5	3.9	1.2
25-44-----	32.9	22.2	17.7	4.5	8.7	2.0
45-64-----	21.8	16.6	13.2	3.4	3.6	1.6
65+-----	5.0	3.8	2.6	1.2	0.8	0.4
<u>Female</u>						
All ages-----	150.4	105.7	82.5	23.2	35.2	9.5
0-4-----	2.9	1.8	1.4	0.4	0.9	0.1
5-14-----	33.5	22.0	16.9	5.1	9.1	2.4
15-24-----	29.6	20.5	15.4	5.1	6.7	2.4
25-44-----	47.3	33.3	26.7	6.7	11.8	2.1
45-64-----	30.5	23.0	18.5	4.6	5.6	1.9
65+-----	6.6	5.1	3.7	1.3	1.0	0.6

Table 2. Number of dental visits per person per year by residence, sex, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Sex and age	Residence					
	All areas	Urban			Rural	
		Total	Inside urbanised areas	Other urban places	Nonfarm	Farm
<u>Both sexes</u>						
All ages-----	1.5	1.8	1.9	1.4	1.3	0.8
0-4-----	0.3	0.3	0.3	0.3	0.3	0.1
5-14-----	1.8	2.2	2.3	1.7	1.6	1.0
15-24-----	2.2	2.5	2.7	2.3	1.9	1.3
25-44-----	1.8	2.0	2.1	1.5	1.5	0.9
45-64-----	1.5	1.7	1.9	1.3	1.2	0.8
65+-----	0.8	0.9	1.0	0.9	0.5	0.5
<u>Male</u>						
All ages-----	1.3	1.5	1.6	1.3	1.1	0.7
0-4-----	0.2	0.3	0.2	0.3	0.2	0.1
5-14-----	1.6	1.9	2.1	1.5	1.4	1.0
15-24-----	1.8	2.1	2.2	2.0	1.5	0.8
25-44-----	1.5	1.7	1.8	1.3	1.3	0.9
45-64-----	1.3	1.5	1.7	1.2	0.9	0.7
65+-----	0.8	0.9	0.9	1.0	0.5	0.4
<u>Female</u>						
All ages-----	1.7	2.0	2.1	1.6	1.5	1.0
0-4-----	0.3	0.3	0.4	0.3	0.3	0.1
5-14-----	2.0	2.4	2.6	1.9	1.8	1.1
15-24-----	2.6	2.9	3.0	2.5	2.2	1.7
25-44-----	2.0	2.3	2.5	1.8	1.7	1.0
45-64-----	1.7	1.9	2.1	1.4	1.5	0.9
65+-----	0.8	0.9	1.0	0.8	0.6	0.6

Table 3. Average annual number of dental visits by region, sex, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Sex and age	Region				
	All areas	Northeast	North Central	South	West
Average number of dental visits in millions					
<u>Both sexes</u>					
All ages-----	258.5	89.1	77.1	51.8	40.5
0-4-----	5.2	1.1	2.0	1.0	1.1
5-14-----	61.7	20.0	20.3	11.2	10.2
15-24-----	47.4	16.9	14.0	9.8	6.7
25-44-----	80.2	28.3	22.7	17.3	11.9
45-64-----	52.3	19.0	14.8	10.1	8.5
65+-----	11.6	3.7	3.4	2.4	2.1
<u>Male</u>					
All ages-----	108.1	36.2	33.1	23.5	15.3
0-4-----	2.3	0.4	0.9	0.6	0.4
5-14-----	28.2	9.4	8.8	5.6	4.4
15-24-----	17.8	6.7	5.2	3.7	2.3
25-44-----	32.9	11.0	9.8	7.8	4.3
45-64-----	21.8	7.4	6.5	4.7	3.1
65+-----	5.0	1.3	1.9	1.1	0.8
<u>Female</u>					
All ages-----	150.4	52.9	44.0	28.3	25.2
0-4-----	2.9	0.7	1.1	0.4	0.7
5-14-----	33.5	10.7	11.5	5.6	5.7
15-24-----	29.6	10.2	8.8	6.2	4.4
25-44-----	47.3	17.3	12.9	9.5	7.6
45-64-----	30.5	11.6	8.2	5.3	5.4
65+-----	6.6	2.4	1.5	1.3	1.4

Table 4. Number of dental visits per person per year by region, sex, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Sex and age	Region				
	All areas	Northeast	North Central	South	West
<u>Both sexes</u>					
All ages-----	1.5	2.1	1.5	1.0	1.7
0-4-----	0.3	0.3	0.3	0.2	0.6
5-14-----	1.8	2.6	2.0	1.0	2.0
15-24-----	2.2	3.4	2.2	1.3	2.3
25-44-----	1.8	2.4	1.6	1.3	1.8
45-64-----	1.5	1.9	1.4	1.0	1.8
65+-----	0.8	1.0	0.7	0.6	1.0
<u>Male</u>					
All ages-----	1.3	1.8	1.3	0.9	1.3
0-4-----	0.2	0.2	0.3	0.2	0.2
5-14-----	1.6	2.4	1.7	1.0	1.8
15-24-----	1.8	2.8	1.8	1.1	1.8
25-44-----	1.5	2.0	1.4	1.2	1.3
45-64-----	1.3	1.6	1.3	1.0	1.4
65+-----	0.8	0.7	0.9	0.6	0.8
<u>Female</u>					
All ages-----	1.7	2.4	1.7	1.1	2.0
0-4-----	0.3	0.3	0.4	0.1	0.5
5-14-----	2.0	2.8	2.3	1.1	2.3
15-24-----	2.6	4.0	2.6	1.6	2.7
25-44-----	2.0	2.8	1.8	1.4	2.1
45-64-----	1.7	2.3	1.6	1.0	2.3
65+-----	0.8	1.1	0.6	0.6	1.3

Table 5. Average annual number of dental visits and number of dental visits per person per year by region and race: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Race	Region				
	All areas	Northeast	North Central	South	West
Average number of dental visits in millions					
All races-----	258.5	89.1	77.1	51.8	40.5
White-----	248.4	86.6	75.0	47.8	39.0
Nonwhite-----	10.1	2.5	2.2	4.0	1.5
Number of dental visits per person per year					
All races-----	1.5	2.1	1.5	1.0	1.7
White-----	1.6	2.2	1.6	1.2	1.7
Nonwhite-----	0.5	0.9	0.6	0.4	0.9

Table 6. Average annual number of dental visits and number of dental visits per person per year by race and age: United States, July 1957-June 1959

(See footnote on table 5)

Age	Race					
	All races	White	Nonwhite	All races	White	Nonwhite
Average number of dental visits in millions			Number of dental visits per person per year			
All ages-----	258.5	248.4	10.1	1.5	1.6	0.5
0-4-----	5.2	5.1	0.1	0.3	0.3	0.0
5-14-----	61.7	60.0	1.7	1.6	2.0	0.4
15-24-----	47.4	45.4	2.0	2.2	2.4	0.7
25-44-----	80.2	76.0	4.2	1.6	1.9	0.9
45-64-----	52.3	50.5	1.9	1.5	1.6	0.6
65+-----	11.6	11.4	0.3	0.8	0.8	0.3

Table 7. Average annual number of dental visits and number of dental visits per person per year by family income and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Age	Family income					
	Total	Under \$2,000	\$2,000-3,999	\$4,000-6,999	\$7,000+	Unknown
Average number of dental visits in millions						
All ages-----	258.5	17.9	37.7	100.2	87.8	14.8
0-4-----	5.2	0.0	0.9	2.5	1.6	0.2
5-14-----	61.7	2.8	6.3	26.3	23.5	2.8
15-24-----	47.4	4.0	8.7	17.0	13.9	3.7
25-44-----	80.2	3.3	11.0	35.0	27.4	3.5
45-64-----	52.3	4.6	7.8	17.0	19.8	3.2
65+-----	11.6	3.2	3.0	2.3	1.7	1.4
Number of dental visits per person per year						
All ages-----	1.5	0.7	1.0	1.6	2.5	1.4
0-4-----	0.3	0.0	0.2	0.3	0.5	0.2
5-14-----	1.8	0.7	0.9	1.9	3.1	1.6
15-24-----	2.2	1.2	1.7	2.3	3.3	2.4
25-44-----	1.8	0.8	1.2	1.8	2.3	1.5
45-64-----	1.5	0.8	1.1	1.6	2.4	1.1
65+-----	0.8	0.3	0.9	1.0	1.1	1.0

Table 8. Average annual number of dental visits and number of dental visits per person per year by education of family head and age: United States, July 1957-June 1959

(See headnote on table 7.)

Age	Education of family head					
	All education groups	Under 5 years	5-8 years	9-12 years	College	Unknown
Average number of dental visits in millions						
All ages-----	258.5	8.1	55.7	120.0	70.7	3.9
0-4-----	5.2	0.0	0.6	2.6	2.1	0.0
5-14-----	61.7	1.1	10.7	31.5	17.6	0.7
15-24-----	47.4	1.8	11.8	22.4	10.9	0.6
25-44-----	80.2	1.9	13.5	38.9	24.8	1.1
45-64-----	52.3	2.3	14.8	21.1	13.2	0.9
65+-----	11.6	1.0	4.5	3.5	2.0	0.6
Number of dental visits per person per year						
All ages-----	1.5	0.6	1.1	1.6	2.4	0.9
0-4-----	0.3	0.0	0.1	0.3	0.6	0.0
5-14-----	1.8	0.5	1.2	2.0	3.0	1.1
15-24-----	2.2	1.2	1.9	2.2	3.3	1.1
25-44-----	1.8	0.9	1.3	1.7	2.7	1.3
45-64-----	1.5	0.7	1.1	1.7	2.6	0.8
65+-----	0.8	0.4	0.7	1.0	1.3	1.0

Table 9. Average annual number of dental visits and number of dental visits per person per year by family income, education of family head, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 11]

Age	Total	Family income				Income or education unknown
		Under \$4,000		\$4,000+		
		Education of family head				
		Under 9 years	9 years or over	Under 9 years	9 years or over	
Average number of dental visits in millions						
All ages-----	258.5	22.8	31.9	37.2	148.8	17.7
0-4-----	5.2	0.1	0.8	0.3	3.8	0.2
5-14-----	61.7	3.4	5.5	7.9	41.6	3.3
15-24-----	47.4	4.6	7.9	8.2	22.5	4.1
25-44-----	80.2	4.7	9.4	9.8	52.0	4.3
45-64-----	52.3	6.5	5.8	9.5	26.7	4.0
65+-----	11.6	3.5	2.6	1.5	2.2	1.8
Number of dental visits per person per year						
All ages-----	1.5	0.7	1.2	1.5	2.1	1.3
0-4-----	0.3	0.0	0.2	0.2	0.4	0.2
5-14-----	1.8	0.5	1.2	1.7	2.6	1.5
15-24-----	2.2	1.2	1.7	2.4	2.9	2.2
25-44-----	1.8	0.8	1.4	1.7	2.2	1.4
45-64-----	1.5	0.8	1.4	1.4	2.3	1.0
65+-----	0.8	0.5	1.1	0.9	1.0	1.0



Table 10. Number of dental visits by type of service, sex, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix 1.]

Sex and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>Both sexes</u>								
All ages-----	269.2	115.8	45.7	47.6	9.1	4.2	23.2	33.2
0-4-----	6.0	2.6	0.5	1.8	-	-	0.1	1.3
5-14-----	62.0	31.0	7.5	11.2	5.7	0.4	0.9	7.8
15-24-----	47.5	23.5	8.8	5.7	2.2	0.4	1.8	4.0
25-44-----	84.6	35.6	16.4	16.4	1.0	2.1	5.7	11.1
45-64-----	58.2	18.8	10.1	10.7	0.2	1.1	11.1	7.6
65+-----	11.0	1.8	2.4	1.7	-	0.1	3.8	1.3
<u>Male</u>								
All ages-----	114.7	48.8	21.5	21.5	2.7	1.6	9.6	13.6
0-4-----	2.5	1.2	0.2	0.8	-	-	0.0	0.5
5-14-----	29.2	13.4	4.6	5.7	2.0	0.1	0.6	4.2
15-24-----	18.7	10.0	3.6	2.6	0.6	0.1	0.7	1.7
25-44-----	33.8	15.0	6.9	6.6	0.9	0.8	2.2	3.6
45-64-----	25.1	8.4	4.6	4.6	0.2	0.5	4.5	3.0
65+-----	5.5	0.7	1.5	1.2	-	-	1.6	0.6
<u>Female</u>								
All ages-----	154.6	67.0	24.2	26.1	6.3	2.5	13.6	19.6
0-4-----	3.5	1.4	0.3	1.0	-	-	0.0	0.8
5-14-----	32.8	17.5	2.9	5.6	3.7	0.2	0.3	3.6
15-24-----	28.9	15.9	5.2	3.1	1.7	0.3	1.1	2.3
25-44-----	50.8	20.7	9.5	9.8	0.9	1.3	3.5	7.5
45-64-----	33.1	10.4	5.4	6.1	-	0.6	6.6	4.6
65+-----	5.6	1.1	0.9	0.6	-	0.1	2.2	0.7

<sup>1</sup>The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 11. Percent distribution of dental visits by type of service according to sex and age:  
United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Sex and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
<u>Both sexes</u>								
All ages-----	100.0	43.0	17.0	17.7	3.4	1.5	8.6	12.3
0-4-----	100.0	43.7	8.2	30.6	-	-	1.1	22.2
5-14-----	100.0	49.9	12.2	18.1	9.2	0.6	1.4	12.6
15-24-----	100.0	54.5	18.5	11.9	4.7	0.9	3.7	8.4
25-44-----	100.0	42.3	19.4	19.4	1.2	2.5	6.7	13.1
45-64-----	100.0	32.3	17.3	18.4	0.3	1.9	19.0	13.1
65+-----	100.0	16.7	21.9	15.7	-	1.1	34.5	12.1
<u>Male</u>								
All ages-----	100.0	42.6	18.7	18.8	2.4	1.4	8.4	11.8
0-4-----	100.0	48.8	9.1	32.9	-	-	1.3	19.7
5-14-----	100.0	46.0	15.8	19.4	6.7	0.4	2.1	14.6
15-24-----	100.0	53.8	19.3	13.9	3.1	0.7	3.5	8.9
25-44-----	100.0	44.5	20.4	19.7	0.1	2.5	6.4	10.5
45-64-----	100.0	33.5	18.3	18.4	0.6	2.2	17.9	12.0
65+-----	100.0	13.0	27.7	21.5	-	-	29.7	10.7
<u>Female</u>								
All ages-----	100.0	43.3	15.7	16.9	4.1	1.6	8.8	12.7
0-4-----	100.0	39.9	7.6	29.0	-	-	1.0	24.1
5-14-----	100.0	53.4	8.9	16.9	11.4	0.7	0.8	10.9
15-24-----	100.0	54.9	18.0	10.6	5.8	1.1	3.8	8.0
25-44-----	100.0	40.8	18.7	19.2	1.8	2.5	6.8	14.8
45-64-----	100.0	31.3	16.5	18.4	-	1.8	19.9	14.0
65+-----	100.0	20.4	16.1	10.1	-	2.2	39.2	13.4

<sup>1</sup>The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 12. Number of dental visits by type of service, residence, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Residence and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>All areas</u>								
All ages-----	269.2	115.8	45.7	47.6	9.1	4.2	23.2	33.2
0-4-----	6.0	2.6	0.5	1.8	-	-	0.1	1.3
5-14-----	62.0	31.0	7.5	11.2	5.7	0.4	0.9	7.8
15-24-----	47.5	23.9	8.8	5.7	2.2	0.4	1.8	4.0
25-44-----	84.6	35.8	16.4	16.4	1.0	2.1	3.7	11.1
45-64-----	58.2	18.8	10.1	10.7	0.2	1.1	11.1	7.6
65+-----	11.0	1.8	2.4	1.7	-	0.1	3.8	1.3
<u>Urban</u>								
All ages-----	191.1	83.6	29.0	35.0	7.0	3.0	16.5	23.9
0-4-----	3.9	1.8	0.4	1.3	-	-	0.0	0.8
5-14-----	41.6	20.6	4.7	8.0	4.1	0.3	0.6	5.1
15-24-----	33.5	20.0	4.3	4.2	1.9	0.3	1.3	2.5
25-44-----	59.6	25.1	11.2	11.6	0.9	1.3	3.6	8.1
45-64-----	44.6	14.9	6.7	8.4	0.2	0.8	8.3	6.4
65+-----	8.0	1.2	1.7	1.4	-	0.1	2.8	0.9
<u>Rural nonfarm</u>								
All ages-----	57.8	24.7	11.3	9.3	1.7	1.0	5.3	6.3
0-4-----	1.9	0.8	0.1	0.5	-	-	0.0	0.5
5-14-----	15.2	8.1	1.8	2.2	1.3	0.0	0.3	1.9
15-24-----	9.9	4.2	2.9	1.0	0.4	0.1	0.4	1.0
25-44-----	19.4	8.4	3.8	3.6	0.0	0.6	1.9	1.9
45-64-----	9.9	2.9	2.2	1.9	-	0.3	1.9	0.9
65+-----	1.7	0.3	0.5	0.2	-	-	0.7	0.2
<u>Rural farm</u>								
All ages-----	20.3	7.5	5.3	3.2	0.4	0.1	1.4	3.0
0-4-----	0.2	0.0	-	0.1	-	-	-	0.1
5-14-----	5.3	2.3	1.0	1.0	0.3	0.0	0.0	0.8
15-24-----	4.2	1.7	1.3	0.4	0.0	0.1	0.0	0.4
25-44-----	5.6	2.2	1.4	1.1	0.1	-	0.2	1.1
45-64-----	3.7	0.9	1.2	0.4	-	-	0.9	0.3
65+-----	1.2	0.4	0.2	0.2	-	-	0.3	0.3

<sup>1</sup>The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 13. Percent distribution of dental visits by type of service according to residence and age: United States, July 1937-June 1938

[Data are based on household interviews during July 1937-June 1938. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Residence and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examinations	Straightening	Gum treatment	Denture work	Other and unknown
<u>All areas</u>								
All ages-----	100.0	43.0	17.0	17.7	3.4	1.5	8.6	12.3
0-4-----	100.0	43.7	8.2	30.6	-	-	1.1	22.2
5-14-----	100.0	49.9	12.2	18.1	9.2	0.6	1.4	12.6
15-24-----	100.0	56.5	18.5	11.9	4.7	0.9	3.7	8.4
25-44-----	100.0	42.3	19.4	19.4	1.2	2.5	6.7	13.1
45-64-----	100.0	32.3	17.3	18.4	0.3	1.9	19.0	13.1
65+-----	100.0	16.7	21.9	15.7	-	1.1	34.5	12.1
<u>Urban</u>								
All ages-----	100.0	43.7	15.2	18.3	3.6	1.6	8.7	12.5
0-4-----	100.0	45.3	9.2	32.5	-	-	0.8	19.8
5-14-----	100.0	49.5	11.4	19.3	9.8	0.6	1.3	12.6
15-24-----	100.0	59.7	12.9	12.6	5.5	0.9	3.9	7.6
25-44-----	100.0	42.2	18.9	19.5	1.5	2.5	6.1	13.6
45-64-----	100.0	33.4	14.9	18.8	0.4	1.9	18.5	14.4
65+-----	100.0	15.2	21.5	17.8	-	1.5	34.4	10.9
<u>Rural nonfarm</u>								
All ages-----	100.0	42.7	19.6	16.1	3.0	1.8	9.1	10.9
0-4-----	100.0	44.4	7.1	24.4	-	-	1.8	25.2
5-14-----	100.0	53.4	12.0	14.2	8.9	0.4	2.0	12.3
15-24-----	100.0	42.6	29.9	10.0	3.6	0.7	4.0	10.0
25-44-----	100.0	43.3	19.6	18.8	0.2	3.1	9.7	9.9
45-64-----	100.0	29.7	22.0	19.6	-	3.0	19.7	9.4
65+-----	100.0	14.4	26.2	8.8	-	-	42.1	9.6
<u>Rural farm</u>								
All ages-----	100.0	37.1	26.3	16.0	1.8	0.5	6.9	14.7
0-4-----	100.0	7.3	-	51.7	-	-	-	41.0
5-14-----	100.0	42.9	18.7	19.2	4.9	0.7	0.4	13.4
15-24-----	100.0	40.9	36.5	10.6	0.9	1.6	0.9	10.7
25-44-----	100.0	39.2	24.6	20.1	1.1	-	2.7	18.7
45-64-----	100.0	25.3	32.7	10.6	-	-	23.6	8.2
65+-----	100.0	29.9	17.8	12.1	-	-	24.7	23.0

<sup>1</sup> The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 14. Number of dental visits by type of service, region, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Region and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>All areas</u>								
All ages-----	269.2	115.8	45.7	47.6	9.1	4.2	23.2	33.2
0-4-----	6.0	2.6	0.5	1.8	-	-	0.1	1.3
5-14-----	62.0	31.0	7.5	11.2	5.7	0.4	0.9	7.8
15-24-----	47.5	23.9	8.0	5.7	2.2	0.4	1.8	4.0
25-44-----	84.6	35.8	16.4	16.4	1.0	2.1	5.7	11.1
45-64-----	58.2	18.8	10.1	10.7	0.2	1.1	11.1	7.6
65+-----	11.0	1.8	2.4	1.7	-	0.1	3.8	1.3
<u>Northeast</u>								
All ages-----	92.1	43.8	12.4	16.8	2.8	1.9	6.0	12.8
0-4-----	1.1	0.5	0.0	0.4	-	-	0.0	0.2
5-14-----	21.3	11.5	2.1	4.3	1.5	0.3	0.3	2.6
15-24-----	15.5	10.4	1.8	1.5	0.6	0.2	0.5	1.1
25-44-----	29.5	13.3	4.9	5.6	0.7	1.0	0.8	4.9
45-64-----	21.0	7.5	2.7	4.3	-	0.4	3.1	3.9
65+-----	3.7	0.6	0.8	0.7	-	0.1	1.4	0.2
<u>North Central</u>								
All ages-----	80.3	37.1	12.7	11.7	2.0	0.7	7.2	10.7
0-4-----	2.3	0.9	0.2	0.6	-	-	-	0.6
5-14-----	18.8	10.1	2.0	3.2	1.3	0.0	0.2	2.5
15-24-----	15.1	8.0	2.5	1.7	0.5	0.2	0.8	1.6
25-44-----	23.7	10.5	4.4	3.6	0.2	0.2	2.2	3.4
45-64-----	17.8	7.0	2.8	2.2	0.1	0.2	3.5	2.1
65+-----	2.6	0.6	0.7	0.4	-	-	0.5	0.4
<u>South</u>								
All ages-----	54.1	18.4	14.1	10.2	1.9	1.1	5.7	4.8
0-4-----	1.3	0.7	0.1	0.4	-	-	-	0.3
5-14-----	11.4	4.7	2.2	1.8	1.4	-	0.2	1.5
15-24-----	10.5	4.6	3.5	1.6	0.4	0.1	0.2	0.6
25-44-----	17.8	6.2	4.6	4.5	0.1	0.6	1.4	1.3
45-64-----	10.5	1.8	3.3	1.7	0.0	0.3	2.8	0.7
65+-----	2.6	0.4	0.5	0.2	-	0.1	1.2	0.4
<u>West</u>								
All ages-----	42.7	16.4	6.5	8.9	2.3	0.4	4.3	4.9
0-4-----	1.3	0.5	0.2	0.4	-	-	0.0	0.2
5-14-----	10.5	4.6	1.2	1.9	1.5	0.0	0.2	1.3
15-24-----	6.4	2.9	1.0	0.9	0.8	0.0	0.3	0.6
25-44-----	13.6	5.8	2.5	2.8	-	0.2	1.2	1.5
45-64-----	8.9	2.4	1.3	2.6	-	0.2	1.7	1.0
65+-----	2.1	0.2	0.4	0.4	-	-	0.8	0.3

<sup>1</sup>The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 15. Percent distribution of dental visits by type of service according to region and age:  
United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Region and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Oral treatment	Denture work	Other and unknown
<b>All areas</b>								
All ages-----	100.0	43.0	17.0	17.7	3.4	1.5	8.6	12.3
0-4-----	100.0	43.7	8.2	30.6	-	-	1.1	22.2
5-14-----	100.0	49.9	12.2	18.1	9.2	0.6	1.4	12.6
15-24-----	100.0	54.5	18.5	11.9	4.7	0.9	3.7	8.4
25-44-----	100.0	42.3	19.4	19.4	1.2	2.5	6.7	13.1
45-64-----	100.0	32.3	17.3	18.4	0.3	1.9	19.0	13.1
65+-----	100.0	16.7	21.9	15.7	-	1.1	34.5	12.1
<b>Northeast</b>								
All ages-----	100.0	47.6	13.4	18.2	3.0	2.1	6.5	13.9
0-4-----	100.0	50.7	1.3	35.6	-	-	3.2	20.4
5-14-----	100.0	53.8	9.9	20.0	7.1	1.4	1.2	12.1
15-24-----	100.0	67.1	11.8	10.0	3.7	1.2	3.1	7.0
25-44-----	100.0	44.9	16.7	18.9	2.2	3.4	2.8	16.5
45-64-----	100.0	35.8	12.8	20.3	-	1.8	14.6	18.4
65+-----	100.0	17.0	21.0	19.6	-	1.7	36.8	4.5
<b>North Central</b>								
All ages-----	100.0	46.2	15.8	14.6	2.5	0.9	9.0	13.3
0-4-----	100.0	37.5	10.5	25.8	-	-	-	26.2
5-14-----	100.0	53.6	10.7	17.2	6.7	0.2	1.0	13.3
15-24-----	100.0	53.1	16.8	11.0	3.1	1.2	5.5	10.9
25-44-----	100.0	44.3	18.7	15.3	0.7	1.0	9.2	14.4
45-64-----	100.0	39.5	15.6	12.2	0.7	1.4	19.7	11.7
65+-----	100.0	25.5	26.5	15.7	-	-	19.6	16.4
<b>South</b>								
All ages-----	100.0	34.0	26.1	18.8	3.6	2.0	10.6	8.9
0-4-----	100.0	56.4	6.3	31.9	-	-	-	20.3
5-14-----	100.0	41.5	19.4	16.0	12.3	-	1.7	12.9
15-24-----	100.0	43.8	32.8	15.1	3.8	0.5	1.5	6.2
25-44-----	100.0	34.6	25.7	25.0	0.8	3.4	7.9	7.5
45-64-----	100.0	17.5	31.4	16.1	0.2	3.3	26.8	4.3
65+-----	100.0	13.1	19.9	8.5	-	2.2	44.3	15.6
<b>West</b>								
All ages-----	100.0	38.5	15.3	20.9	5.4	1.0	10.0	11.5
0-4-----	100.0	36.0	11.8	33.8	-	-	2.5	18.6
5-14-----	100.0	44.4	11.7	18.1	14.4	0.1	2.4	12.0
15-24-----	100.0	44.9	15.2	13.5	12.6	0.4	4.4	9.3
25-44-----	100.0	42.9	18.1	20.4	-	1.8	9.1	10.8
45-64-----	100.0	26.8	14.5	29.1	-	1.8	19.2	11.5
65+-----	100.0	11.2	20.1	18.1	-	-	36.6	15.5

<sup>1</sup> The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 16. Number of dental visits by type of service, race, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Race and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Oral treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>All races</u>								
All ages-----	269.2	115.8	45.7	47.6	9.1	4.2	23.2	33.2
0-4-----	6.0	2.6	0.5	1.8	-	-	0.1	1.3
5-14-----	62.0	31.0	7.5	11.2	5.7	0.4	0.9	7.8
15-24-----	47.5	25.9	8.8	5.7	2.2	0.4	1.8	4.0
25-44-----	84.6	35.8	16.4	16.4	1.0	2.1	5.7	11.1
45-64-----	58.2	18.8	10.1	10.7	0.2	1.1	11.1	7.6
65+-----	11.0	1.8	2.4	1.7	-	0.1	3.8	1.3
<u>White</u>								
All ages-----	259.8	113.6	41.4	46.6	8.8	3.8	22.1	32.6
0-4-----	5.9	2.6	0.4	1.8	-	-	0.1	1.3
5-14-----	60.4	30.5	7.1	10.9	5.5	0.4	0.9	7.7
15-24-----	45.8	25.4	8.0	5.6	2.2	0.4	1.6	3.8
25-44-----	81.2	34.9	14.9	16.1	1.0	1.8	5.4	10.9
45-64-----	55.9	18.5	8.7	10.6	0.2	1.1	10.6	7.6
65+-----	10.6	1.8	2.3	1.7	-	0.1	3.6	1.3
<u>Nonwhite</u>								
All ages-----	9.5	2.2	4.3	0.9	0.2	0.3	1.1	0.6
0-4-----	0.1	0.0	0.1	-	-	-	-	0.0
5-14-----	1.6	0.3	0.4	0.3	0.2	-	0.0	0.1
15-24-----	1.8	0.3	0.8	0.1	0.0	-	0.1	0.2
25-44-----	3.4	0.8	1.5	0.3	-	0.3	0.2	0.2
45-64-----	2.3	0.3	1.3	0.1	-	0.0	0.5	0.0
65+-----	0.4	-	0.1	0.1	-	-	0.2	-

<sup>1</sup>The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 17. Percent distribution of dental visits by type of service according to race and age:  
United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Race and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
<u>All races</u>								
All ages-----	100.0	43.0	17.0	17.7	3.4	1.5	8.6	12.3
0-4-----	100.0	43.7	8.2	30.6	-	-	1.1	22.2
5-14-----	100.0	49.9	12.2	18.1	9.2	0.6	1.4	12.6
15-24-----	100.0	34.5	18.5	11.9	4.7	0.9	3.7	8.4
25-44-----	100.0	42.3	19.4	19.4	1.2	2.5	6.7	13.1
45-64-----	100.0	32.3	17.3	18.4	0.3	1.9	19.0	13.1
65+-----	100.0	16.7	21.9	15.7	-	1.1	34.5	12.1
<u>White</u>								
All ages-----	100.0	43.7	16.0	17.9	3.4	1.5	8.5	12.6
0-4-----	100.0	43.9	7.3	31.2	-	-	1.1	22.4
5-14-----	100.0	50.4	11.8	18.0	9.1	0.6	1.4	12.7
15-24-----	100.0	55.5	17.4	12.2	4.8	1.0	3.5	8.3
25-44-----	100.0	43.0	18.3	19.8	1.2	2.2	6.7	13.4
45-64-----	100.0	33.0	15.6	18.9	0.3	2.0	19.0	13.6
65+-----	100.0	17.3	21.9	15.7	-	1.1	33.5	12.3
<u>Nonwhite</u>								
All ages-----	100.0	22.8	44.9	10.0	2.4	3.3	11.4	6.1
0-4-----	100.0	29.0	57.9	-	-	-	-	13.1
5-14-----	100.0	30.8	27.1	21.6	11.9	-	1.0	8.8
15-24-----	100.0	28.6	47.7	3.0	1.8	-	7.4	9.6
25-44-----	100.0	24.8	45.1	9.5	-	8.8	7.0	6.3
45-64-----	100.0	13.1	58.5	5.3	-	0.7	20.5	2.0
65+-----	100.0	-	20.7	17.3	-	-	62.0	-

<sup>1</sup>The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.



Table 18. Number of dental visits by type of service, family income, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Family income and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>Under \$2,000</u>								
All ages-----	19.5	5.3	7.2	2.4	0.2	0.3	2.8	1.6
0-4-----	0.0	-	0.0	-	-	-	-	0.0
5-14-----	2.7	1.1	0.8	0.1	0.1	0.2	0.0	0.4
15-24-----	4.3	1.8	1.8	0.4	0.1	-	0.1	0.2
25-44-----	4.0	1.1	1.6	0.8	0.1	0.1	0.2	0.3
45-64-----	5.7	0.9	2.3	0.8	-	0.0	1.4	0.4
65+-----	2.8	0.4	0.7	0.2	-	0.1	1.0	0.3
<u>\$2,000-3,999</u>								
All ages-----	39.1	13.9	9.0	5.3	0.8	0.8	5.1	5.5
0-4-----	1.1	0.7	0.2	0.1	-	-	-	0.2
5-14-----	6.2	3.3	1.0	1.0	0.2	0.0	0.2	0.7
15-24-----	9.0	3.7	2.2	0.9	0.6	0.2	0.3	1.4
25-44-----	11.9	4.2	3.1	1.7	0.0	0.3	1.2	1.9
45-64-----	8.1	1.8	2.0	1.2	-	0.2	2.2	0.7
65+-----	2.8	0.3	0.5	0.3	-	-	1.2	0.6
<u>\$4,000-6,999</u>								
All ages-----	106.7	49.7	17.5	18.1	2.6	2.0	7.1	13.0
0-4-----	3.0	1.2	0.2	1.0	-	-	0.1	0.7
5-14-----	28.4	14.2	4.3	5.3	1.6	0.1	0.2	3.7
15-24-----	17.1	10.1	2.7	1.8	0.6	0.1	0.9	1.2
25-44-----	37.2	16.6	6.8	6.4	0.3	1.2	2.1	5.1
45-64-----	18.8	6.9	3.3	3.3	0.1	0.5	3.0	2.2
65+-----	2.2	0.7	0.3	0.3	-	-	0.9	0.1
<u>\$7,000+</u>								
All ages-----	89.1	40.7	8.8	19.4	4.7	1.0	7.1	11.6
0-4-----	1.6	0.7	0.1	0.6	-	-	-	0.3
5-14-----	22.1	11.1	1.1	4.3	3.6	0.0	0.3	2.7
15-24-----	13.2	7.9	1.3	2.0	0.9	0.1	0.3	1.1
25-44-----	27.9	12.7	4.1	6.9	0.1	0.4	2.1	3.3
45-64-----	22.6	8.2	1.8	4.9	0.0	0.4	4.0	4.1
65+-----	1.7	0.2	0.4	0.6	-	0.1	0.3	0.1
<u>Unknown</u>								
All ages-----	14.9	6.2	3.2	2.4	0.7	0.1	1.2	1.4
0-4-----	0.3	0.1	-	0.1	-	-	-	0.1
5-14-----	2.7	1.4	0.3	0.4	0.2	-	0.1	0.3
15-24-----	3.9	2.4	0.8	0.5	-	-	0.1	0.1
25-44-----	3.6	1.1	0.9	0.6	0.4	0.1	0.1	0.5
45-64-----	3.0	1.0	0.7	0.5	-	0.1	0.5	0.3
65+-----	1.5	0.2	0.4	0.3	-	-	0.4	0.2

<sup>1</sup> The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 19. Percent distribution of dental visits by type of service according to family income and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix II.]

Family income and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
<u>Under \$2,000</u>								
All ages-----	100.0	27.4	37.1	12.2	1.2	1.6	14.2	8.3
0-4-----	100.0	-	54.5	-	-	-	-	45.5
5-14-----	100.0	39.7	31.8	5.3	3.5	5.8	0.5	13.9
15-24-----	100.0	41.9	41.3	8.2	1.8	-	3.2	5.7
25-44-----	100.0	28.8	40.1	20.6	1.6	2.0	5.4	7.1
45-64-----	100.0	15.6	40.0	14.4	-	0.2	23.7	6.4
65+-----	100.0	15.7	25.5	8.3	-	2.2	37.2	12.0
<u>\$2,000-\$3,999</u>								
All ages-----	100.0	35.6	23.0	13.5	2.1	2.0	13.0	14.0
0-4-----	100.0	61.2	14.6	8.7	-	-	-	15.5
5-14-----	100.0	52.3	15.4	16.5	3.3	0.4	3.4	11.2
15-24-----	100.0	41.5	24.2	10.4	6.7	2.5	3.1	15.0
25-44-----	100.0	35.2	26.3	14.3	0.1	2.5	10.0	16.3
45-64-----	100.0	22.4	25.2	14.7	-	3.1	27.0	9.0
65+-----	100.0	9.9	19.1	11.0	-	-	43.3	21.3
<u>\$4,000-\$5,999</u>								
All ages-----	100.0	46.5	16.4	17.0	2.5	1.8	6.7	12.2
0-4-----	100.0	39.0	5.8	34.9	-	-	2.2	24.6
5-14-----	100.0	50.0	15.3	18.6	5.5	0.5	0.9	13.1
15-24-----	100.0	58.9	15.7	10.7	3.6	0.8	5.2	6.9
25-44-----	100.0	44.7	18.1	17.2	0.9	3.3	5.6	13.7
45-64-----	100.0	36.6	17.4	17.4	0.7	2.4	15.8	11.8
65+-----	100.0	31.7	13.1	12.5	-	-	39.5	3.7
<u>\$7,000+</u>								
All ages-----	100.0	45.7	9.9	21.8	5.3	1.1	7.9	13.0
0-4-----	100.0	43.5	9.2	37.8	-	-	-	19.6
5-14-----	100.0	50.1	4.8	19.6	16.3	0.1	1.5	12.4
15-24-----	100.0	59.5	9.9	15.4	7.1	0.7	2.3	8.1
25-44-----	100.0	45.6	14.6	24.8	0.4	1.5	7.6	11.7
45-64-----	100.0	36.1	7.9	21.6	0.1	1.6	17.8	18.0
65+-----	100.0	12.7	25.1	37.7	-	3.4	15.6	8.4
<u>Unknown</u>								
All ages-----	100.0	41.5	21.2	16.3	4.5	0.8	8.0	9.7
0-4-----	100.0	32.2	-	34.1	-	-	-	33.8
5-14-----	100.0	51.8	12.9	16.6	8.6	-	2.8	11.3
15-24-----	100.0	61.8	21.6	13.0	-	-	3.3	2.9
25-44-----	100.0	29.8	24.3	15.9	12.3	1.6	2.0	14.0
45-64-----	100.0	34.3	22.6	18.0	-	1.8	17.8	8.8
65+-----	100.0	13.6	29.7	18.4	-	-	26.7	11.1

<sup>1</sup>The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 20. Number of dental visits by type of service, education of family head, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Education of family head and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
Number of dental visits in millions								
<u>Under 5 years</u>								
All ages-----	9.8	3.7	3.1	1.0	0.3	0.1	1.2	0.7
0-4-----	0.1	0.0	0.0	-	-	-	-	-
5-14-----	1.2	0.5	0.4	0.2	0.2	-	-	0.2
15-24-----	2.1	1.3	0.6	0.1	0.0	-	0.2	0.0
25-44-----	2.2	0.9	0.7	0.2	0.1	0.1	0.1	0.2
45-64-----	3.2	0.7	1.2	0.2	-	-	0.7	0.3
65+-----	1.0	0.3	0.2	0.3	-	0.0	0.2	0.1
<u>5-8 years</u>								
All ages-----	59.5	23.5	14.4	8.1	0.8	0.8	6.7	7.3
0-4-----	0.5	0.3	-	0.1	-	-	-	0.1
5-14-----	12.5	7.1	2.3	1.9	0.3	0.2	0.1	1.1
15-24-----	11.5	5.6	3.2	1.1	0.3	0.1	0.7	1.1
25-44-----	14.4	4.6	4.3	2.0	-	0.5	1.2	2.4
45-64-----	16.4	5.4	3.7	2.6	0.2	0.0	3.1	1.8
65+-----	4.1	0.6	0.9	0.3	-	0.0	1.7	0.8
<u>9-12 years</u>								
All ages-----	121.0	53.0	21.0	19.9	3.9	2.4	10.2	14.4
0-4-----	3.1	1.4	0.4	0.8	-	-	0.0	0.7
5-14-----	31.1	15.9	3.6	5.4	2.7	0.1	0.4	3.9
15-24-----	22.4	11.8	4.1	2.6	1.1	0.3	0.8	2.1
25-44-----	39.5	17.1	8.3	6.9	0.1	1.3	3.3	4.2
45-64-----	21.6	6.2	3.5	3.8	-	0.7	4.5	3.3
65+-----	3.4	0.6	1.1	0.3	-	-	1.1	0.3
<u>College</u>								
All ages-----	75.6	34.4	6.7	18.2	3.5	0.7	4.7	10.3
0-4-----	2.3	0.8	0.1	0.9	-	-	0.0	0.5
5-14-----	16.7	7.2	1.1	3.7	2.4	0.1	0.4	2.5
15-24-----	11.0	7.0	0.8	1.8	0.8	-	0.1	0.7
25-44-----	27.3	12.9	2.9	7.2	0.3	0.2	1.0	4.1
45-64-----	16.3	6.1	1.4	3.9	-	0.4	2.6	2.2
65+-----	2.0	0.4	0.2	0.7	-	-	0.5	0.2
<u>Unknown</u>								
All ages-----	3.4	1.1	0.6	0.3	0.6	0.1	0.4	0.4
0-4-----	0.0	-	-	-	-	-	-	0.0
5-14-----	0.6	0.2	0.0	0.0	0.1	-	0.0	0.1
15-24-----	0.5	0.3	0.1	0.1	-	-	-	0.0
25-44-----	1.2	0.2	0.2	0.1	0.4	0.0	0.1	0.2
45-64-----	0.7	0.3	0.2	0.1	-	0.0	0.1	0.0
65+-----	0.4	-	0.0	0.1	-	0.1	0.2	0.0

<sup>1</sup>The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 21. Percent distribution of dental visits by type of service according to education of family head and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 11.]

Education of family head and age	Total visits <sup>1</sup>	Type of service						
		Fillings	Extractions	Cleaning or examination	Straightening	Gum treatment	Denture work	Other and unknown
<u>Under 5 years</u>								
All ages-----	100.0	37.7	31.6	10.1	2.9	1.2	12.5	7.4
0-4-----	100.0	51.9	48.1	-	-	-	-	-
5-14-----	100.0	42.1	36.4	15.1	14.9	-	-	12.7
15-24-----	100.0	60.0	27.2	2.9	1.0	-	9.7	1.0
25-44-----	100.0	39.1	30.6	10.9	4.0	3.7	4.4	7.4
45-64-----	100.0	23.3	38.9	7.6	-	-	21.1	10.7
65+-----	100.0	27.3	14.7	25.2	-	3.9	24.0	5.0
<u>5-8 years</u>								
All ages-----	100.0	39.6	24.2	13.6	1.3	1.4	11.3	12.3
0-4-----	100.0	57.5	-	21.8	-	-	-	20.8
5-14-----	100.0	56.5	18.6	15.4	2.2	1.2	0.6	8.7
15-24-----	100.0	48.5	27.8	9.6	2.8	1.0	5.7	9.8
25-44-----	100.0	32.2	30.0	14.0	-	3.4	8.1	17.0
45-64-----	100.0	32.8	22.5	15.7	1.0	0.2	19.0	10.9
65+-----	100.0	13.7	21.0	8.4	-	0.6	40.7	19.0
<u>9-12 years</u>								
All ages-----	100.0	43.8	17.4	16.5	3.2	2.0	8.5	11.9
0-4-----	100.0	47.3	11.6	25.2	-	-	1.1	21.0
5-14-----	100.0	51.3	11.6	17.5	8.7	0.5	1.4	12.6
15-24-----	100.0	52.6	18.3	11.8	4.9	1.5	3.4	9.6
25-44-----	100.0	43.2	21.1	17.6	0.2	3.3	8.4	10.6
45-64-----	100.0	28.8	16.2	17.8	-	3.1	21.1	15.2
65+-----	100.0	17.3	33.1	8.5	-	-	33.6	7.9
<u>College</u>								
All ages-----	100.0	45.5	8.8	24.1	4.7	0.9	6.2	13.7
0-4-----	100.0	35.8	4.5	41.0	-	-	1.5	24.1
5-14-----	100.0	43.3	6.9	21.9	-	-	2.1	15.2
15-24-----	100.0	63.3	7.3	16.5	14.3	0.3	1.2	6.3
25-44-----	100.0	47.4	10.7	26.2	1.3	0.8	3.7	15.2
45-64-----	100.0	37.3	8.9	24.2	-	2.5	16.2	13.7
65+-----	100.0	19.9	11.4	36.4	-	-	25.3	10.0
<u>Unknown</u>								
All ages-----	100.0	32.8	16.4	9.4	17.3	2.6	11.4	11.8
0-4-----	100.0	-	-	-	-	-	-	100.0
5-14-----	100.0	43.6	4.2	1.8	27.0	-	2.3	22.6
15-24-----	100.0	36.3	26.6	10.6	-	-	-	6.4
25-44-----	100.0	21.1	16.4	4.9	37.6	1.3	6.1	14.7
45-64-----	100.0	47.3	24.8	15.0	-	2.2	12.4	2.6
65+-----	100.0	-	6.9	21.8	-	13.6	50.7	6.9

<sup>1</sup> The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 22. Number of dental visits by type of service, family income, education of family head, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 2.]

Family income, education of family head, and age	Total visits <sup>1</sup>	Type of service						
		Fill- ings	Extrac- tions	Cleaning or exam- ination	Straight- ening	Gum treat- ment	Denture work	Other and unknown
Number of dental visits in millions								
UNDER \$4,000								
<u>Under 9 years of school</u>								
All ages-----	24.5	7.0	8.7	3.1	0.3	0.5	3.2	2.7
0-4-----	0.1	0.1	-	-	-	-	-	-
5-14-----	3.6	1.7	1.1	0.3	0.1	0.2	0.0	0.3
15-24-----	5.3	1.7	2.3	0.3	0.2	0.1	0.3	0.8
25-44-----	4.8	1.6	2.0	0.7	-	0.1	0.2	0.4
45-64-----	7.8	1.5	2.8	1.4	-	-	1.6	0.6
65+-----	2.9	0.4	0.5	0.4	-	0.1	1.0	0.6
<u>9 years or over of school</u>								
All ages-----	33.2	12.0	7.4	4.5	0.7	0.6	4.5	4.3
0-4-----	1.1	0.6	0.2	0.1	-	-	-	0.2
5-14-----	5.2	2.5	0.8	0.9	0.2	0.0	0.2	0.7
15-24-----	7.7	3.6	1.7	0.9	0.5	0.1	0.1	0.8
25-44-----	11.0	3.7	2.7	1.8	0.1	0.2	1.1	1.9
45-64-----	5.8	1.2	1.4	0.6	-	0.3	1.9	0.5
65+-----	2.5	0.3	0.7	0.1	-	-	1.0	0.3
\$4,000+								
<u>Under 9 years of school</u>								
All ages-----	40.8	18.9	7.6	5.6	0.6	0.4	4.3	5.0
0-4-----	0.5	0.3	0.0	0.1	-	-	-	0.1
5-14-----	9.6	5.6	1.7	1.8	0.2	-	0.0	0.9
15-24-----	7.3	4.6	1.2	0.7	0.1	-	0.6	0.4
25-44-----	11.1	3.7	2.7	1.5	0.1	0.4	1.0	2.1
45-64-----	10.8	4.4	1.7	1.3	0.2	-	2.0	1.5
65+-----	1.5	0.4	0.2	0.2	-	-	0.6	0.1
<u>9 years or over of school</u>								
All ages-----	153.6	70.8	18.6	31.7	6.6	2.4	9.8	19.4
0-4-----	4.1	1.6	0.3	1.5	-	-	0.1	1.0
5-14-----	40.6	19.6	3.7	7.8	4.8	0.2	0.5	5.5
15-24-----	22.9	13.4	2.7	3.1	1.4	0.2	0.6	1.9
25-44-----	53.5	25.4	8.1	11.7	0.4	1.2	3.1	6.2
45-64-----	30.2	10.4	3.3	6.8	-	0.8	4.9	4.8
65+-----	2.3	0.5	0.5	0.7	-	-	0.5	0.1
INCOME OR EDUCATION UNKNOWN								
All ages-----	17.1	7.1	3.4	2.6	0.8	0.2	1.5	1.8
0-4-----	0.3	0.1	-	0.1	-	-	-	0.1
5-14-----	3.1	1.5	0.3	0.4	0.4	-	0.1	0.4
15-24-----	4.3	2.7	0.9	0.6	-	-	0.1	0.1
25-44-----	4.2	1.3	0.9	0.6	0.4	0.1	0.1	0.7
45-64-----	3.6	1.2	0.9	0.6	-	0.1	0.6	0.3
65+-----	1.7	0.2	0.4	0.3	-	0.1	0.6	0.2

<sup>1</sup> The sum of visits by type of service may be greater than the total because one visit may involve more than one type of service.

Table 23. Percent distribution of dental visits by type of service according to family income, education of family head, and age: United States, July 1957-June 1958

[Data are based on household interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Family income, education of family head, and age	Total visits <sup>1</sup>	Type of service						
		Fill- ings	Exera- ctions	Cleaning or exam- ination	Straight- ening	Gum treat- ment	Den- ture work	Other and unknown
UNDER \$4,000								
<u>Under 9 years of school</u>								
All ages-----	100.0	28.5	35.3	12.5	1.3	1.9	12.9	11.0
0-4-----	100.0	100.0	-	-	-	-	-	-
5-14-----	100.0	48.4	29.1	7.2	3.3	4.3	0.6	9.2
15-24-----	100.0	31.7	42.6	6.4	3.9	2.2	5.2	14.1
25-44-----	100.0	33.6	41.2	14.0	-	2.9	5.1	7.4
45-64-----	100.0	19.0	36.4	17.7	-	-	20.1	8.0
65+-----	100.0	14.0	17.9	13.4	-	2.2	35.6	21.7
<u>9 years or over of school</u>								
All ages-----	100.0	36.1	22.4	13.6	2.2	1.8	13.4	12.9
0-4-----	100.0	57.5	16.5	8.9	-	-	-	17.2
5-14-----	100.0	48.7	14.6	17.5	3.5	0.6	3.9	13.2
15-24-----	100.0	47.0	22.2	11.8	6.2	1.4	1.9	10.7
25-44-----	100.0	33.7	24.8	16.6	0.7	2.0	10.4	16.9
45-64-----	100.0	20.9	23.4	10.9	-	4.5	33.4	7.8
65+-----	100.0	12.5	29.3	6.0	-	-	42.1	10.9
\$4,000+								
<u>Under 9 years of school</u>								
All ages-----	100.0	46.3	18.6	13.7	1.4	1.1	10.4	12.2
0-4-----	100.0	58.6	5.7	24.2	-	-	-	-
5-14-----	100.0	58.2	17.5	18.5	2.0	-	0.5	11.8
15-24-----	100.0	62.0	16.6	9.8	1.8	-	8.0	9.5
25-44-----	100.0	33.6	24.4	13.9	0.8	3.9	8.9	5.1
45-64-----	100.0	40.7	16.1	11.8	1.5	-	18.6	18.5
65+-----	100.0	25.3	13.2	12.9	-	-	40.5	13.7
<u>9 years or over of school</u>								
All ages-----	100.0	46.1	12.1	20.7	4.3	1.6	6.4	12.7
0-4-----	100.0	38.5	7.1	37.2	-	-	1.6	24.1
5-14-----	100.0	48.2	9.2	19.3	11.9	0.4	1.3	13.6
15-24-----	100.0	58.4	11.8	13.7	6.3	1.0	2.7	8.2
25-44-----	100.0	47.4	15.1	22.0	0.7	2.3	5.9	11.5
45-64-----	100.0	34.6	10.8	22.4	-	2.7	16.4	15.9
65+-----	100.0	22.9	22.1	30.9	-	-	22.5	4.3
INCOME OR EDUCATION UNKNOWN								
All ages-----	100.0	41.3	20.1	15.4	4.8	1.2	8.9	10.4
0-4-----	100.0	32.2	-	34.1	-	-	-	33.8
5-14-----	100.0	50.4	11.2	14.4	12.5	-	2.5	12.5
15-24-----	100.0	62.1	21.0	12.9	-	-	3.0	3.3
25-44-----	100.0	31.6	22.0	15.1	10.6	1.8	3.4	16.2
45-64-----	100.0	34.7	23.9	18.0	-	2.0	17.3	7.8
65+-----	100.0	11.5	25.2	15.6	-	3.3	32.6	11.6

<sup>1</sup>The sum of the percentages may add to more than 100 percent.

<sup>1</sup> The sum of the percentages may add to more than 100 percent because one visit may involve more than one type of service.

Table 24. Population used in obtaining rates shown in this publication by residence, sex, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 11.]

Sex and age	Residence					
	All areas	Urban			Rural	
		Total	Inside urbanized areas	Other urban places	Nonfarm	Farm
Population in thousands						
<u>Both sexes</u>						
All ages-----	169,835	102,900	74,419	28,481	46,783	20,151
4-----	19,499	11,028	7,931	3,097	6,345	2,126
14-----	33,804	18,611	13,151	5,460	10,531	4,662
5-24-----	21,523	13,022	9,206	3,816	5,607	2,895
5-44-----	45,579	27,928	20,715	7,213	13,278	4,373
5-64-----	34,763	22,854	16,883	5,971	7,674	4,234
5+-----	14,667	9,457	6,532	2,924	3,348	1,862
<u>Male</u>						
All ages-----	82,633	49,020	35,416	13,604	23,191	10,422
4-----	9,932	5,599	4,002	1,597	3,238	1,095
14-----	17,249	9,392	6,587	2,805	5,425	2,431
5-24-----	10,052	5,922	4,160	1,762	2,606	1,524
5-44-----	21,854	13,244	9,836	3,408	6,467	2,143
5-64-----	16,856	10,794	7,992	2,803	3,837	2,227
5+-----	6,687	4,069	2,839	1,230	1,617	1,001
<u>Female</u>						
All ages-----	87,202	53,880	39,003	14,877	23,593	9,729
4-----	9,567	5,429	3,929	1,500	3,167	1,031
14-----	16,555	9,219	6,564	2,655	5,106	2,231
5-24-----	11,471	7,100	5,046	2,055	3,000	1,371
5-44-----	23,725	14,684	10,879	3,805	6,811	2,230
5-64-----	17,904	12,060	8,892	3,169	3,837	2,007
5+-----	7,980	5,388	3,693	1,695	1,732	860

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 25. Population used in obtaining rates shown in this publication by region, sex, and age:  
United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Sex and age	Region				
	All areas	North-east	North Central	South	West
<b>Both sexes</b>					
Population in thousands					
All ages-----	169,833	42,379	51,509	51,622	24,325
0-4-----	19,499	4,283	6,207	6,021	2,987
5-14-----	33,804	7,664	10,231	10,909	5,001
15-24-----	21,523	4,940	6,357	7,343	2,883
25-44-----	43,579	11,765	13,859	13,209	6,747
45-64-----	34,763	9,799	10,267	10,036	4,661
65+-----	14,667	3,928	4,588	4,105	2,046
<b>Male</b>					
All ages-----	82,633	20,390	25,382	24,896	11,765
0-4-----	9,932	2,190	3,202	3,010	1,531
5-14-----	17,249	3,902	5,230	5,596	2,520
15-24-----	10,052	2,418	2,931	3,440	1,263
25-44-----	21,854	5,627	6,796	6,223	3,206
45-64-----	16,858	4,735	5,070	4,769	2,285
65+-----	6,687	1,719	2,152	1,856	960
<b>Female</b>					
All ages-----	87,202	21,788	26,127	26,726	12,561
0-4-----	9,567	2,094	3,005	3,011	1,456
5-14-----	16,555	3,761	5,000	5,313	2,481
15-24-----	11,471	2,522	3,426	3,901	1,620
25-44-----	23,725	6,138	7,062	6,983	3,541
45-64-----	17,904	5,064	5,198	5,267	2,376
65+-----	7,980	2,209	2,436	2,249	1,086

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.



Table 26. Population used in obtaining rates shown in this publication by region and race:  
United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 11]

Race	Region				
	All regions	North-east	North Central	South	West
All races-----	Population in thousands				
	169,835	42,379	51,509	51,622	24,325
White-----	151,034	39,739	47,908	40,651	22,736
Nonwhite-----	18,800	2,640	3,600	10,971	1,590

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-53, and P-60.

Table 27. Population used in obtaining rates shown in this publication by race and age: United States, July 1957-June 1959

(See headnote on table 26)

Age	Race		
	All races	White	Nonwhite
All ages-----	Population in thousands		
	169,835	151,034	18,800
0-4-----	19,499	16,769	2,729
5-14-----	33,804	29,392	4,412
15-24-----	21,523	18,822	2,701
25-44-----	43,579	40,786	4,793
45-64-----	34,763	31,611	3,152
65+-----	14,667	13,653	1,013

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-53, and P-60.

Table 28. Population used in obtaining rates shown in this publication by family income and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 10.]

Age	Family income					
	All incomes	Under \$2,000	\$2,000-3,999	\$4,000-6,999	\$7,000+	Unknown
All ages-----	169,835	25,177	36,491	61,566	35,719	10,881
0-4-----	19,499	2,311	4,737	8,391	3,236	824
5-14-----	31,804	4,003	7,029	13,479	7,347	1,747
15-24-----	21,523	3,358	5,183	7,274	4,172	1,536
25-44-----	45,579	4,111	8,829	19,204	11,098	2,337
45-64-----	34,763	5,456	7,357	10,806	8,134	3,009
65+-----	14,667	5,938	3,356	2,412	1,332	1,428

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 29. Population used in obtaining rates shown in this publication by education of family head and age: United States, July 1957-June 1959

(See footnote on table 28)

Age	Education of family head					
	All education groups	0-4 years	5-8 years	9-12 years	College	Unknown
All ages-----	169,835	12,620	49,665	74,495	28,850	4,205
0-4-----	19,499	970	4,183	10,116	3,830	400
5-14-----	31,804	2,354	9,162	15,804	5,825	658
15-24-----	21,523	1,513	6,126	10,031	3,359	495
25-44-----	45,579	2,178	10,482	22,791	9,293	834
45-64-----	34,763	3,238	13,254	12,063	5,043	1,165
65+-----	14,667	2,366	6,458	3,691	1,500	652

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 30. Population used in obtaining rates shown in this publication by family income, education of family head, and age: United States, July 1957-June 1959

[Data are based on household interviews during July 1957-June 1959. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix 1. Definitions of terms are given in Appendix 1.]

Age	Total	Family income				Income or education unknown
		Under \$4,000		\$4,000+		
		Education of family head				
		Under 9 years	9 years or over	Under 9 years	9 years or over	
Population in thousands						
All ages-----	169,835	34,038	25,927	24,090	71,830	13,950
0-4-----	19,499	3,010	3,844	1,876	9,642	1,127
5-14-----	33,804	6,311	4,440	4,565	16,269	2,218
15-24-----	21,523	3,779	4,581	3,380	7,889	1,894
25-44-----	43,379	6,066	6,559	5,833	24,148	2,974
45-64-----	34,763	8,377	4,046	6,822	11,673	3,844
65+-----	14,667	6,494	2,457	1,615	2,208	1,893

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60.

Table 31. Population used in obtaining rates shown in this publication by age and demographic characteristic: United States, July 1957-June 1958

[Data are based on numerous interviews during July 1957-June 1958. Data refer to the civilian noninstitutional population of the United States. Detailed figures may not add to totals due to rounding. The survey design, general qualifications, and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

Characteristic	Age						
	All ages	0-4	5-14	15-24	25-44	45-64	65+
Population in thousands							
Total-----	168,369	19,352	33,285	21,093	45,656	34,470	14,512
<u>Sex</u>							
Male-----	81,906	9,858	16,982	9,801	21,885	16,739	6,641
Female-----	86,463	9,494	16,303	11,292	23,772	17,731	7,871
<u>Residence</u>							
Urban-----	102,985	11,145	18,495	12,967	20,347	22,729	9,303
Rural nonfarm-----	44,334	5,932	9,885	5,122	12,532	7,499	3,364
Rural farm-----	21,049	2,275	4,905	3,004	4,777	4,242	1,846
<u>Region</u>							
Northeast-----	42,125	4,267	7,450	4,779	11,870	9,978	3,781
North Central-----	50,340	5,972	9,895	6,104	13,583	10,128	4,657
South-----	51,903	6,082	11,119	7,395	13,379	9,851	4,078
West-----	24,001	3,031	4,821	2,815	6,824	4,513	1,957
<u>Race</u>							
White-----	149,810	16,655	28,981	18,438	40,868	31,357	13,511
Nonwhite-----	18,559	2,697	4,304	2,655	4,788	3,114	1,002
<u>Family income</u>							
Under \$2,000-----	25,459	2,274	4,068	3,312	4,282	5,499	6,024
\$2,000-3,999-----	36,051	4,376	6,848	3,064	8,811	7,481	3,272
\$4,000-6,999-----	62,248	8,599	13,629	7,247	19,634	10,722	2,417
\$7,000+-----	34,549	3,128	7,184	4,010	10,804	7,972	1,451
Unknown-----	10,062	775	1,556	1,460	2,126	2,797	1,349
<u>Education of family head</u>							
Under 5 years-----	12,836	975	2,391	1,549	2,305	3,326	2,292
5-8 years-----	50,497	4,281	9,283	6,174	10,843	13,415	6,501
9-12 years-----	72,483	9,843	15,342	9,499	22,565	11,611	3,623
College-----	28,485	3,833	5,631	3,376	9,165	5,023	1,457
Unknown-----	4,067	420	637	496	778	1,095	639
<u>Family income and education of family head</u>							
<u>Under \$4,000</u>							
Under 9 years-----	34,822	3,057	6,439	3,898	6,304	8,623	6,501
9 years or over-----	24,853	3,575	4,177	4,289	6,461	3,923	2,428
<u>\$4,000+</u>							
Under 9 years-----	24,633	1,965	4,641	3,401	6,122	6,897	1,607
9 years or over-----	70,971	9,658	16,011	7,691	24,022	11,434	2,155
Income or education unknown-----	13,090	1,098	2,017	1,814	2,747	3,593	1,821

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States, in *Current Population Reports: Series P-20, P-25, P-50, P-57, and P-60*.

## APPENDIX I

### TECHNICAL NOTES ON METHODS

#### Background of This Report

This report on Dental Care is one of a series of statistical reports which cover separate health-related topics prepared by the U.S. National Health Survey. The report is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, which is a main aspect of the program.

The Health Interview Survey uses a questionnaire which, in addition to personal and demographic characteristics, requests information on illnesses, injuries, chronic conditions, medical care, dental care, and hospitalization. As interview data relating to each of these various broad subject areas are tabulated and analyzed, separate reports are issued covering one or more specific topics. The present report contains data based on the consolidated sample for 52 weeks of interviewing ending June 29, 1958, and data based on the consolidated sample for 104 weeks of interviewing ending June 28, 1959.

The population covered by the sample for the Health Interview Survey is the civilian population of the United States living at the time of the interview. Although the sample collection covers persons who are inmates of resident-type institutions, data for these persons are not included in the figures given in this report. The sample does not include members of the Armed Forces, United States nationals living in foreign countries, and crews of vessels. It should also be noted that the estimates shown do not represent a complete inventory of dental visits for any specified calendar period since no adjustment has been made for persons who made dental visits during the two-week period prior to the week of interview and who died prior to the household interview.

#### Statistical Design of the Health Interview Survey

**General plan.**—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian population of the United States. The first stage of this design consists of drawing a sample from the 1,900 geographically defined Primary Sampling Units (PSUs) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a Standard Metropolitan Area.

During the first 18 months of the Health Interview Survey, 372 Primary Sampling Units were employed. This was increased to 800 PSUs starting in January, 1959, resulting in an increase in the size of the sample. However, the basic sampling design and methods of estimating remained unchanged during the two-year period covered by this report.

With no loss in general understanding, the remaining stages can be telescoped and treated in this discussion as an ultimate stage. Within PSUs, then, ultimate

stage units called segments are defined, also geographically, in such a manner that each segment contains an expected six households in the sample. Each week a random sample of about 120 segments is drawn, in the approximately 700 households in those segments persons are interviewed concerning illnesses, injuries, chronic conditions, disability, and other factors related to health.

The household members interviewed each week are a representative sample of the population so that samples for successive weeks can be combined into larger samples for, say a calendar quarter, or one or more years. Thus the design permits both continuous measurement of characteristics of high incidence or prevalence in the population, and through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages, as well as statistical assets, since it permits field work to be handled with an experienced, stable staff.

**Sample size and geographic detail.**—The national sample plan over the 12-month period ending June 1958 included approximately 115,000 persons from 36,000 households in 6,000 segments with representation from every State. Over the 24-month period ending June 1959, the sample included approximately 235,000 persons from 73,000 households in 12,000 segments. The overall sample was designed in such a fashion, that from the annual sample, tabulations can be provided for various geographic sections of the United States and for urban and rural sectors of the Nation.

**Collection of data.**—The field operations for the household survey are performed by the Bureau of the Census under specifications established by the Public Health Service. In accordance with these specifications the Bureau of the Census designs and selects the sample, conducts the field interviewing acting as collecting agent for the Public Health Service, and edits and codes the questionnaires. Tabulations are prepared by the Public Health Service using the Bureau of the Census electronic computers.

**Estimating methods.**—Each statistic produced by the survey—for example, the number of dental visits made during a specified period—is the result of two stages of ratio estimation. In the first of these, the ratio factor is the 1950 decennial population count to the estimated population for 1950 for the U.S. National Health Survey's first-stage sample of PSUs. These factors are applied separately for more than 50 color-residence classes.

Later, ratios of sample-produced estimates of the population to official Bureau of the Census figures for current population in about 60 age-sex-color classes are computed, and serve as second-stage factors for ratio estimating.

The effect of the ratio estimating process is to make the sample more closely representative of the

population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week and characteristics of that population. Consolidation of samples over a time period, say a calendar quarter, produces estimates of average characteristics of the United States population for that calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For statistics measuring the number of occurrences during a specified time period, such as number of dental visits, a similar computational procedure is used, but the statistics have a different interpretation. For the dental visit items, the questionnaire asks for the respondent's experience over the two calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is simply 6.5 times the average two-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. The average annual total is the sum for several years divided by the number of years. Thus, the experience of persons interviewed during a year—experience which actually occurred for each person in a two-calendar-week interval prior to week of interview—is treated in analysis as though it measured the total of such experience occurring in the year. Such interpretation leads to no significant bias.

#### General Qualifications

**Nonresponse.**—Data were adjusted for nonresponse by a procedure which imputed to persons in a household not interviewed the characteristics of interviewed persons in the same segment. The total noninterview rate was 5 percent; 1 percent was refusal, and the remainder was primarily due to the failure to find any eligible household respondent after repeated trials.

**The interview process.**—The statistics presented in this report are based on replies secured in interviews of persons in the sampled households. Each person 18 years and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for children and for adults not available at the time of the interview, provided the respondent was closely related to the person about whom information was being obtained.

**Rounding of numbers.**—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables the figures are rounded to the nearest thousand or tenth of million. Because of sampling error, however, they are not necessarily accurate to that detail. Derived statistics, such as rates and percent distributions, are computed after the estimates on which they are based have been rounded to the nearest thousand.

**Population figures.**—Some of the published tables include population figures for specified categories. Except for certain over-all totals by age, sex, and color (which are adjusted to independent estimates); these figures are based on the sample of households in the U.S. National Health Survey. They are given primarily for the purpose of providing denominators for rate computation, and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. In some instances they will permit users to recombine published data into classes more suitable to their specific needs. With the exception of the over-all

totals by age, sex, and color, mentioned above, the population figures may in some cases differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, P-50, P-57, and P-60 series.

#### Reliability of Estimates

Since the estimates are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than 28 times as large.

In order to derive standard errors which would be applicable to a wide variety of health statistics and which could be prepared at a moderate cost, a number of approximations were required. As a result, the tables of standard errors shown in this Appendix should be interpreted as providing an estimate of approximate standard error rather than as the precise standard error for any specific statistic.

The following guides will enable the reader to determine the sampling errors for the data contained in this report.

1. Approximate standard errors for estimates of the number of dental visits, the number of dental visits by type of service, and the number of persons in a population group<sup>1</sup> are obtained from the appropriate columns of table 1.
2. Approximate standard errors for percentage distributions of dental visits are given in tables 1a and 1b.
3. Approximate standard errors for rates showing the number of dental visits per person per year (or rates of dental visits by type of service) for persons in an age, sex, or color group or for the total population are obtained by dividing the standard error of the numerator used in obtaining the rate (obtained from Appendix table 1) by the numerator itself and multiplying by the rate. For example, the average number of dental visits per person per year (calculated from 2 years of sampling) for females 25-44 years of age is 2.0 visits. The numerator used in obtaining the rate was 47,300,000 (table 1). The standard error for an estimate of this size is approximately 2,319,000. Dividing 2,319,000 by

<sup>1</sup>The number of persons in an age, sex, or color group, or the total number of persons in the population is not subject to sampling error.

Table I. Standard errors of estimates of aggregates

(All numbers shown in thousands)

Size of estimate	Number of persons in a population group		Number of dental visits or dental visits by type	
	1957-1958 (a)	Annual average 1957-1959 (b)	1957-1958 (c)	Annual average 1957-1959 (d)
100	22	18	-	-
500	50	40	-	-
1,000	70	60	430	340
2,000	100	80	630	480
3,000	120	100	750	600
5,000	160	130	1,000	800
10,000	220	180	1,300	1,040
20,000	300	240	1,900	1,520
30,000	330	260	2,350	1,800
50,000	350	280	3,000	2,400
100,000	400	320	4,500	3,600
200,000	-	-	6,500	5,200
500,000	-	-	11,250	9,000
750,000	-	-	14,700	11,760
1,250,000	-	-	20,750	16,600

Illustration of use of table I.—Approximately 115,820,000 dental visits made during the period July 1957-June 1958 involved work related to the filling of teeth. Using column (c) above, the sampling error for an estimate of 100,000,000 visits is 4,500,000 and for an estimate of 200,000,000 visits the sampling error is 6,500,000. Interpolating, the sampling error of an estimated 115,820,000 visits would be 4,800,000.

47,300,000 gives 0.05. Multiplying the rate 2.0 by 0.05 gives 0.1 as the approximate standard error for a rate of 2.0 visits.

4. A rough approximation of standard errors for rates showing the average number of dental visits per person per year (or rates of dental visits by type of service) for persons in a residence, regional, income, or educational group<sup>3</sup> is obtained by taking the square root of the sum of the squares of the standard error of the numerator used in obtaining the rate divided by the numerator itself and the standard error of the denominator used divided by the denominator itself and multiplying by the rate. This computation will normally give an overestimate of the true sampling error. Example: During 2 years of sampling, the average number of dental visits per person per year for persons 65 years of age and over who have an annual in-

come of \$4,000-6,999 is 1.0 visits: The numerator used in obtaining the rate is 2,300,000 visits (table 7), and the denominator was 2,412,000 persons (table 28). The standard error of the numerator is 516,000 visits (obtained from column (d) of Appendix table I), and the standard error of the denominator is 88,000 persons (obtained from column (b) of Appendix table I). Carrying out the computations for

$$\sqrt{\left(\frac{516,000}{2,300,000}\right)^2 + \left(\frac{88,000}{2,412,000}\right)^2} \times 1.0$$

gives 0.2 as the approximate standard error for a rate of 1.0 visits.

5. Approximate standard errors for the difference between two rates are obtained by taking the square root of the sum of the squares of the standard error of each rate.

<sup>3</sup>Note that where the rate refers to persons in a residence, regional, income, or educational group, rule 4 applies, even if the group is further subdivided by age, sex, or color.

Table II. Standard errors of percentages based on dental visits (body of table expressed in percentage points)

a. 1957-1958

Estimated percentage	Base of percentage (base is shown in thousands)									
	2,500	12,500	25,000	50,000	75,000	125,000	250,000	500,000	750,000	1,250,000
2 or 98---	3.6	1.6	1.1	0.8	0.7	0.5	0.4	0.3	0.2	0.2
5 or 95---	5.6	2.5	1.8	1.3	1.0	0.8	0.6	0.4	0.3	0.3
10 or 90---	6.8	3.0	2.1	1.5	1.2	1.0	0.7	0.5	0.4	0.3
25 or 75---	9.8	4.4	3.1	2.2	1.8	1.4	1.0	0.7	0.6	0.4
50-----	12.9	5.8	4.1	2.9	2.4	1.8	1.3	0.9	0.7	0.6

b. Annual average - 1957-1959

Estimated percentage	Base of percentage (base is shown in thousands)									
	2,500	12,500	25,000	50,000	75,000	125,000	250,000	500,000	750,000	1,250,000
2 or 98---	2.9	1.3	0.9	0.6	0.6	0.4	0.3	0.2	0.2	0.2
5 or 95---	4.5	2.0	1.4	1.0	0.8	0.6	0.5	0.3	0.2	0.2
10 or 90---	5.4	2.4	1.7	1.2	1.0	0.8	0.6	0.4	0.3	0.2
25 or 75---	7.8	3.5	2.5	1.8	1.4	1.1	0.8	0.6	0.5	0.3
50-----	10.3	4.6	3.3	2.3	1.9	1.4	1.0	0.7	0.6	0.5

Illustration of use of table II.—During 2 years of sampling, among persons 15-24 years of age approximately 62.4 percent of the dental visits were made by females. The base of this percentage is 47,400,000 visits (table I). Since neither of these values can be read directly from table II—It is necessary to interpolate, as follows: A statistic of 75 percent with a base of 25,000,000 has a standard error of 2.5 percentage points. A statistic of 50 percent has a standard error of 3.3 percentage points. Interpolating, a statistic of 62.4 percent with a base of 25,000,000 has a standard error of 2.9. Corresponding calculations with a base of 50,000,000 produce a standard error of 2.4 percentage points. A final interpolation between these results yields an estimate of 2.2 percentage points as the approximate standard error for a percentage of 62.4 with a base of 47,400,000. (Interpolation has been carried out in which is sufficiently precise.)



## APPENDIX II

### DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

#### Dental Care Terms

**Dental visits.**—Each visit to a dentist's office for treatment or advice is considered to be a dental visit. The visit may involve services provided directly by the dentist or by a dental hygienist acting under a dentist's supervision. Services provided while a person was a patient in a hospital for overnight or longer are not considered to be dental visits.

**Type of dental service.**—A dental service is a service received when a dentist or dental hygienist is visited. For purposes of this survey, dental services have been categorized into a number of broad types. If a single dental visit involves more than one type of dental service, each type of service is recorded. If a particular type of service is rendered more than once during a single visit, the type of service is nevertheless recorded only once. For example, if during a single dental visit, 1 tooth is extracted and 3 teeth are filled, the types of services rendered during that visit are recorded as "Extractions" and "Fillings," each category being recorded only once. The categories of types of dental services are defined as follows:

1. **Fillings** include temporary fillings, permanent fillings, inlays, crowns, and similar procedures.
2. **Extractions** include any dental surgery and related activity such as removal of stitches.
3. **Cleaning or examination** includes all forms of dental prophylaxis, "checkup," consultation, and X-rays.
4. **Straightening** includes orthodontic treatment and brace work and also fitting or repair of braces.
5. **Gum treatment** includes all periodontal work, except prophylaxis.
6. **Denture work** includes taking impressions for false teeth, plate fitting or repair, and bridge work.
7. **Other** includes all types of dental service not listed above.

#### Demographic, Social, and Economic Terms

**Age.**—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending upon the purpose of the table.

**Race.**—In this report, the population has been subdivided into two groups according to race, "White" and "Nonwhite." "Nonwhite" includes Negro, American Indian, Chinese, Japanese, and so forth. Mexican persons are included with "White" unless definitely known to be Indian or other nonwhite race.

**Family income.**—Each member of a family is classified according to the total income of the family of which he is a member. Within the household all persons related to each other by blood, marriage, or adoption constitute a family. Unrelated individuals are classified according to their own income.

The income recorded is the total of all income received by members of the family (or by an unrelated

individual) in the 12-month period ending with the week of interview. Income from all sources is included, e.g., wages, salaries, rents from property, pensions, help from relatives, and so forth.

**Education of family head.**—Each member of a family is classified according to the education of the head of the family of which he is a member. Within the household all persons related to each other by blood, marriage, or adoption constitute a family. Unrelated individuals are classified according to their own education.

The categories of educational status show the highest grade of school completed. Only grades completed in regular schools, where persons are given a formal education, are included. A "regular" school is one which advances a person toward an elementary or high school diploma, or a college, university, or professional school degree. Thus, education in vocational, trade, or business schools outside the regular school system is not counted in determining the highest grade of school completed.

#### Location of Residence Terms

**Urban residence.**—The definition of urban areas used in the U. S. National Health Survey is the same as that used in the 1950 Census. According to this definition, the urban population comprises all persons living in (a) places of 2,500 inhabitants or more incorporated as cities, boroughs, and villages; (b) incorporated towns of 2,500 inhabitants or more except in New England, New York, and Wisconsin, where "towns" are simply minor civil divisions of counties; (c) the densely settled urban fringe, including both incorporated and unincorporated areas around cities of 50,000 or more; and (d) unincorporated places of 2,500 inhabitants or more outside any urban fringe.

In this report, the urban population has been subdivided into those living "inside urbanized areas" and those living in "Other urban places."

**Inside urbanized areas.**—Following the definition used in the 1950 Census, the population in urbanized areas comprises all persons living in (a) cities of 50,000 inhabitants or more in 1940 or according to a special census taken between 1940 and 1950; and (b) the densely settled urban fringe, including both incorporated and unincorporated areas, surrounding these cities.

**Other urban places.**—The remaining urban population not classified as living "inside urbanized areas" is classified as living in "Other urban places."

**Rural residence.**—The remaining population not classified as "Urban" is classified as "Rural." In this report the rural population has been subdivided into "Rural farm" and "Rural nonfarm."

**Rural farm.**—All rural residents living on farms are classified as "Rural farm." In deciding whether members of a household reside on a farm or ranch, the statement of the household respondent that the house is on a farm or ranch is accepted, with the

following exceptions. A house occupied by persons who pay cash rent for the house and yard only is not counted as a farm or ranch even though the surrounding area is farm land. This special case does not cover: (1) the living quarters of a tenant farmer who rents farm land as well as house and yard; (2) the quarters of a hired hand who receives living quarters on a farm as part of his compensation; or (3) separate living quarters inside a structure which is classified as on a farm. In all these cases the living quarters are counted as on a farm.

Rural nonfarm.—The remaining rural population not classified as "Rural farm" is classified as "Rural nonfarm."

Region.—For the purposes of classifying the population by geographic area of residence, the National Health Survey uses the same grouping of states used by the Bureau of the Census and many other agencies. The four major regions are:

<u>Region</u>	<u>States included</u>
Northeast	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island,

#### Northeast—Continued

	Connecticut, New York, New Jersey, Pennsylvania
North Central	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washington, Oregon, California

# APPENDIX III QUESTIONNAIRE

The entire questionnaire used during the year July 1, 1957 through June 29, 1958 is reproduced in U. S. National Health Survey Report, Series A, Number 3, Concepts and Definitions in the Health Household-Interview Survey.

The exact wording of the questions relating to dental care contained in the questionnaires used during each of the two years is shown below. The actual questionnaires are designed for a household as a unit and include additional spaces for reports on more than one person.

## Questions from the July 1957-June 1958 questionnaire

DENTAL CARE	
20. (a) Last week or 2 weeks before did anyone in the family go to a dentist? Anyone else?	<input type="checkbox"/> Yes <input type="checkbox"/> No (omit)
21. "Yes"	No. of times
22. How many times during the past 2 weeks?	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> Other (specify)
23. What did you have done?	<input type="checkbox"/> Cleaning <input type="checkbox"/> Filling <input type="checkbox"/> X-ray <input type="checkbox"/> Other (specify)
24. How many times during the past 2 weeks?	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> Other (specify)
25. What did you have done on the (first second third) visit?	<input type="checkbox"/> Cleaning <input type="checkbox"/> Filling <input type="checkbox"/> X-ray <input type="checkbox"/> Other (specify)
26. How many times during the past 2 weeks?	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> Other (specify)
27. How many times during the past 2 weeks?	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> Other (specify)
28. How long has it been since you went to a dentist?	<input type="checkbox"/> Less than 1 mo. <input type="checkbox"/> 1-3 mo. <input type="checkbox"/> 4-6 mo. <input type="checkbox"/> 7-12 mo. <input type="checkbox"/> More than 12 mo.
29. Is there anyone in the family who has lost all of his teeth?	<input type="checkbox"/> Yes <input type="checkbox"/> No

## Questions from the July 1958-June 1959 questionnaire

DENTAL CARE	
20. (a) Last week or the week before did anyone in the family go to a dentist? Anyone else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
21. "Yes"	No. of times
22. How many times during the past 2 weeks?	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> Other (specify)
23. How many times altogether in the past 12 months did you go to a dentist?	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> More



## SELECTED REPORTS FROM THE U. S. NATIONAL HEALTH SURVEY

### Series A (Program descriptions, survey designs, concepts, and definitions)

- No. 1. Origin and Program of the U. S. National Health Survey. PHS Pub. No. 584-41. Price 25 cents.
- No. 2. The Statistical Design of the Health Household-Interview Survey. PHS Pub. No. 584-42. Price 35 cents.
- No. 3. Concepts and Definitions in the Health Household-Interview Survey. PHS Pub. No. 584-43. Price 35 cents.

### Series B (Health Interview Survey results by topics)

- No. 6. Acute Conditions, Incidence and Associated Disability, United States, July 1957-June 1958. PHS Pub. No. 584-86. Price 35 cents.
- No. 7. Hospitalization, Patients Discharged From Short-Stay Hospitals, United States, July 1957-June 1958. PHS Pub. No. 584-87. Price 30 cents.
- No. 8. Persons Injured by Cause of Accident, United States, July 1957-June 1958. PHS Pub. No. 584-88. Price 25 cents.
- No. 9. Impairments by Type, Age, and Sex, United States, July 1957-June 1958. PHS Pub. No. 584-89. Price 25 cents.
- No. 10. Disability Days, United States, July 1957-June 1958. PHS Pub. No. 584-90. Price 25 cents.
- No. 11. Limitation of Activity and Mobility Due to Chronic Conditions, United States, July 1957-June 1958. PHS Pub. No. 584-91. Price 35 cents.
- No. 12. Chronic Respiratory Conditions Reported in Interviews, United States, July 1957-June 1958. PHS Pub. No. 584-912. Price 30 cents.
- No. 13. Heart Conditions and High Blood Pressure Reported in Interviews, United States, July 1957-June 1958. PHS Pub. No. 584-93. Price 30 cents.
- No. 14. Dental Care, Interval and Frequency of Visits, United States, July 1957-June 1958. PHS Pub. No. 584-934.
- No. 15. Dental Care, Volume of Visits, United States, July 1957-June 1958. PHS Pub. No. 584-935.

### Series C (Health Interview Survey results for population groups)

- No. 1. Children and Youth, Selected Health Characteristics, United States, July 1957-June 1958. PHS Pub. No. 584-C1. Price 35 cents.
- No. 2. Veterans, Health and Medical Care, United States, July 1957-June 1958. PHS Pub. No. 584-C2. Price 40 cents.

### Series D (Developmental and Evaluation Reports)

- No. 1. A Study of Special Purpose Medical-Interview Techniques. PHS Pub. No. 584-D1. Price 30 cents.

## Catalog Card

### U.S. National Health Survey.

Dental care, volume of visits, United States, July 1957-June 1958; statistics on volume of dental visits by type of dental service, age, sex, residence, region, race, income, and education. Based on data collected in household interviews during the period July 1957-June 1958. Washington, U.S. Dept. of Health, Education, and Welfare, Public Health Service, Division of Public Health Methods, 1960.

xx p. diagrams, tables. 27cm. (See Health statistics, ser. 812)

U.S. Public Health Service. Publication no. 584-935

1. Dental service - U.S. - Stat.

I. Title.

{Series. Series; U.S. Publication no. 584-935}

Cataloged by U.S. Dept. of Health, Education, and Welfare. Library.